Appendix C

High Priority Locations for the purpose of Settlement Agreement Section 6

Within 1 through 6 below, priority is given to walkways that serve government offices and facilities, public transportation, places of public accommodation, places of employment and continuity of routes.

- 1. Missing curb ramps
- 2. Existing curb ramps, functionally a barrier because of any
 - a. Lip > 1/2"
 - b. < 3' wide
 - c. < 36" x 36" turning space with cross slope >3%
 - d. Ramp running slope > 9.5%
- 3. Missing and non-compliant curb ramps at locations where there have been wheelchair pedestrian fatalities since 2010, and locations of any future wheelchair fatalities.
- 4. Existing curb ramps missing truncated domes.
- 5. Missing and non-compliant curb ramps at cities/towns/ communities locations without public transit that have sidewalks and curb ramps.
- 6. Missing and non-compliant curb ramps on critical corridors recommended by AOCIL and other representatives of the disabled community.

In addition, citizen complaints or requests to address 1 and 2 above will be deemed high priority.

Below are ODOT's general priorities to address missing and non-compliant curb ramps:

- A. High Priority Locations for the purpose of Settlement Agreement Section 6.
- B. Special Transportation Areas (STA's) and downtown areas.
- C. Urbanized areas.
- D. All remaining areas within the state.