## Form 874-9—Revised May, 1918 U. S. Department of Agriculture FOREST SERVICE

Custille NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY
T. / 8 R. 36 E W Mer
Corner common to Sections
,, and
Corner consists of a true noted away (not) in place
State condition holongy stisting
Dimensions above groundinches
Sketch grooves, letters, figures, or notches, on proper face or edge.
CARDINAL POSITION DIAGONAL POSITION
N W S E NW SW SE NE
Mound of is located
Pits are located
Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.
BT
Species This is only an old DF
Diameter stump nearly satted 27
Bearing und gone but scribing
Distance as shown esuld by read
Do you believe this to be a genuine Land Office Corner?
If not, why? field notes say evener was
a small tree oquand. This has
gone but location lot by old
withus stemp - Of a 1
A LIA Signatura
(lug 11/4) But Vangue
(Title)

. 13	R. 36	E	W	Mer.
(I)	fake sketch of topo	graphy nea	r Corner)	
				<i>:</i> .
		į	ا مل	
Sec.			-Sec. /	
			į	-
		į.		
			<del></del>	
and and a second			•	<del></del>
	·			
Sec.			Se / 8	
bec.			Dey. 6	
		-		
A part of the second	Property and the first of the second			
Ietal Location	n Poster is on	a <i>L.</i> Ž	<i></i>	
ee <b>7</b> incl	nes diameter, o	n the	appro	o sill
et of M	eome	c.	//	
-	is Corner bear			
	chains dista			
				35 11.5
	further facts w	mer wm	ald in nn	aing this
orner again.				0
Toaca		gra	mp	tour
on from	atitus, t	astr	is a	
<b>unat</b> s g	nagh.			
		·		
			·	

USDA-FOREST SERVICE			.*	14
Index File NoT-1	CORNER RECORD (SEARCH) Tract or (Ref. FSM 7151.4) Survey No			No. <u>J-1</u>
T <u>1S</u> R. <u>36E</u>	R.D. Pendleton			- <u></u>
Merid. <u>Willamette</u>	N.F. <u>Umatilla</u>	State Oregon		·I
CORNER DIAGRAM	DESCRIBE CORNER MONUMEN	IT FOUND		<del></del>
SEC.	None.		\$1.50 \$1.50	
	primitive road has	ast blaze line.10" FS location poste Poster dated: 9	<b>LP</b> pine north	into
PHOTO IDENTIFICATION DATA Photo No Filed At.	obliterated corner		, 50, 40 WS KOA	грговавту
Object Ident	DESCRIBE CORNER LOCATION	RELATIVE TO NEAR-BY FEA	TURES, ALSO HOW T	O REACH CORNER
PLANE COORDINATE POSITION DATA State Zone X Y Estab. By				4
Signature Bill Moore	Title Division Eng. Tech.	Headquarters	Date 10/77	7100-52 (3/68) 5

		٠.	2.1	 	GPO 902-673
CORNER RECORD (PERPETUATI	ON:)			 •	

State Registration No. or Agency

Tract or Surv. No.

Date

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

Title\_

R.

Work Done By.

Index File No.

Certified Cor. Record Prepared ? Yes

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXIST

Filed At:

15 44					•	
		\$ T				•
			•			
•						:
	•					
		:				
				· ·		

REMARKS

13

Cor.