USDA-FOREST SERVICE Index File No. Z-03 T 1S R.37E	CORNER RECORD (SEARCH) Tract or Cor. (Ref. FSM 7151.4) Survey No. No	
Merid. WILLAMETTE	N.F. UMATILLA State OREGON	
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND	
S - 31	Found mound of stone at N15°W, 33 feet from bearing tree described below. (Record S54°W 139 lks from corner to BT)	
Ĩ	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND	2
	Found a 22 inch diameter Ponderosa Pine with XS scribes visible. Tree faces N10°-20°E.	
PHOTO IDENTIFICATION DATA	~~~	
Photo No.		
Filed At.	{	
Object Ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH	3
Ident. By Stanature	Comment of 11	CORNER
PLANE COORDINATE POSITION DATA	Corner falls on South side of open ridge approximately 200 feet South of the 31 road.	
State Zone	_	
×	-	
Y	~ 	
Estab. By	_ 6	
Signature	Title Division Headquarters Date 50 7100 50	4
Artim Bib resamble	Surveyor Readquarters Date FS-7100-52	

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

Did not monument corner due to the discrepancy between the record GLO information and the evidence in the field. I feel this problem will have to be solved with benefit of survey.

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE

None

Work Done By. D. I. Griffith	Surveyor	8-2-89	State Registration No.	OPLS 644	
Certified Cor. Record Prepared ? Yes	No Filed At:		Date		11
	REMARKS				

W.M.

R. 37E

Witness: Rick Robinson

T. 1S

Index File No. Z-3

GPO: 1986 O - 439 - 095

Tract or Surv. No.

Cor.

USDA-FOREST SERVICE	
Index File No. <u> </u>	CORNER RECORD (SEARCH) Tract or Cor.
T_15R37E	R.D. WALLA WALLACOUNTY UMATILIA
Merid. WILL	N.F. UMATILLA State OREGON
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND
1 TIS	MOUND OF STONES 3' BASE × 6" HIGH
N 1/4 − ⊗ - R37E	DESCRIPE DEADING TOTAL 2
725	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND ORIG. 20" PONDEROSA PINE IS NOW 24" & THE UPPER BLAZE HAS BEEN CHOPPED OPEN TO REVEAL SCRIBES
PHOTO IDENTIFICATION DATA Photo No.	"1/45", LOWER BLAZE IS HEALED OVER, THIS TREE DOES NOT FIT RECORD, IT BEARS ABOUT
Filed AtObject Ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
Ident. By Signature 7	LORNER IS HOUT, 200 ft. SOUTH OF Rd 31,
PLANE COORDINATE POSITION DATA	I PUT 54-3 \$ 54-4 SIGNS ON THE BT &A
State Zone	LOCATION POSTER ON A 18" POND, PINE 30 ft.
Y Estab. By	SOUTH OF ROAD 31 & 200 ft. NORTH OF THE
Agency Signature	CORNER Division Headquarters Date
Ilemus J. XJay	Title Division Headquarters 6-8-1988 FS-7100-52 (3/68) 5

		RECORD (PERPE		
MONUMENT: DESCRIBE NEW	MONUMENT SET, OR WORK DONE TO	PRESERVE EXISTI	NG MONUMENT	
	•		·	
	5	71.0.10.100.00		
ACCESSORIES DESCRIBE N	EW BI'S WITNESS OBJECTS ETC. ES	TABLISHED, OR WOR	K DONE TO PRESERVE EXISTING EVIDENCE	
			-	
Wark Dane By	Title	Date	State Registration No.	
	Title	Dote	or Agency	
Work Done By			State Registration No. or Agency Date	

GPO: 1982 O-382-659

M.

Index File No.

Τ.

R.

Tract or Surv. No.

Cor.

13