U. S. Department of Agriculture FOREST SERVICE

NATIONAL FOREST	
CORNERS OF THE PUBLIC SURVEY	•
T. 55 R. 33 E W.11. M	er.
Section Corner common to Section	
10 , 11 , 14 , and 15	
Corner consists of a 1005e Stone (not) in pl	ace
State condition	
Dimensions above groundinch Sketch grooves, letters, figures, or notches, on proper face or edge CARDINAL POSITION DIAGONAL POSITION	-
N W S E NW SW SE N	
Mound of is located	
Pits are located	. -
Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.	:
Grown 755 0 ver 5 10	
Species WL DF PP sneq Diameter 18" 24" 18" Bearing 5265 NZ35 NZ2" Distance 36' 45' 60'	-
Diameter 18" 24" 18"	- :
Bearing SZ66 NZ3E NZ3W	-
Distance 36 45 66	- '
Do you believe this to be a genuine Land Office Corner	?
If not, why? Corner stone not defin	chel
backed one loose stone ly	1120

Acar Convergence of BTs

			1
1.00			
Sec.	5 - 1 - 1 S	Sec.	
_			:
ار باداد ماداد الله الله الله الله الله الله الله	A Section Control		
Sec.		Sec.	

treei	inches dia	meter, on	the		
				fro	
this Corn	er bears	(Bearing	' ,	(Distance)	. Chains
Section III	ne marker	between S	ecs	and	is or
	e, 1,000, 000.,		(745	ame or road, tr	an. etc.)
Give any	chair (Cro further fac	ns L., W., N., S s out nonap ts needed	d, from plicable) to find	Sec. Cor.; ¼ Cor. Corner aga	; Witness Cor in:
Give any	chair (Cro further fac	ns L., W., N., S s out nonap ts needed	d, from plicable) to find	Sec. Cor.; ¼ Cor. Corner aga	; Witness Cor in:
Give any	chair (Cro further fac	ns E., W., N., Ss out nonap its needed	d., from plicable) to find	Sec. Cor.; ¼ Cor. Corner aga	; Witness Cor
Give any	Chair (Crofurther fac	ns E., W., N., Ss out nonap ts needed	, from plicable) to find	Sec. Cor.; ¼ Cor. Corner aga	; Witness Cor
Give any i	chai (Cro further fac	ns L., W., N., Ss out nonap ts needed	, from plicable) to find	Sec. Cor.; ¼ Cor. Corner aga	; Witness Cor

Index J-/7 File No. J-/7	CORNER RECORD (SEARCH) Tract or Cor. 0-17 (Ref. FSM 7151.4) Survey No NoNo.
T <u>55</u> R. <u>33E</u>	R.D. UKIAh County Umafilla
Merid. Will	N.F. Umutilla State Oroyon
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND SET
	Brass Cap: 1977
N 11	2
	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
	Notos on fila! See Monumontation File
PHOTO IDENTIFICATION DATA	
Photo No.	
Filed At.	
Object ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
Ident. By	TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
Signature 7	
PLANE COORDINATE POSITION DATA	
State Zone	
X	
Y	
Estab. By	
Agency 8	4
Signature	Title Division Headquarters Date 7100-52-(3/68)

USDA-FOREST SERVICE

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

______10

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By.______ Title______ Date_____ State Registration No.

Certified Car. Record Prepared ? Yes No Filed At: Date

REMARKS

Index File No. T.

!.

M.

Tract or Surv. No.

Cor.

13