## Subdivisions of T. 1 N., R. 34 E.

Chains 40.00	Set a basalt stone, 12x9x8 ins., 8 ins. in the ground,
	marked $\frac{1}{4}$ on W. face, for $\frac{1}{4}$ sec. cor., from which
	A pine, 30 ins. in diam., bears N.40°E., dist. 97 lks.,
	marked 1 S B T; also
	A pine, 20 ins. in diam., bears S.20°W., dist. 84 lks.,
	marked 1 S B T.
48.00	Gulch, course N.E.
80.00	Set basalt stone, 12x10x8 ins., 8 ins. in the ground,
	marked with 4 notches on S. and 5 on E. edges, for
	cor. to secs. 7, 8, 17 and 18. Raised a mound of stone
*	over it.
	Pits impracticable.
	Land, rolling.
	Some pine timber and bunch grass.
	Soil, 2nd rate.
	East on random between secs. 8 and 17.
	Var. 18°45'E.
40.00	Set temporary ½ sec. cor.
80.17	Intersect N. and S. line at cor. to secs. 8, 9, 16 and
	17. Thence I run
	W. on true line.
3.00	Gulch, course N.W.
23.50	Wagon Road, course S.
25.00	Wagon Road, course S.
40.08	Set a basalt stone, 20x12x3 ins., 15 ins. in the ground,
	marked $\frac{1}{4}$ on N. side, for $\frac{1}{4}$ sec. cor., from which
	A pine, 10 ins. in diam., bears N.83°E., dist. 65 lks.,
	marked 1 S B T; also
	A pine, 12 ins. in diam., bears S. 50°E., dist. 84 lks.,
	marked ½ S B T.
67.50	Gulch, course N.
72.50	Summit.
80.17	To cor. to secs. 7, 8, 17 and 18.
	Land, rolling, covered with pine timber.
	Soil, 3rd rate.
	And the state of t