Resurvey of the Base Line through Range 36 East.

Chains	A tamarack, 20 ins. diam., bears S.30°W., 37 lks.
6 2	dist., marked 1 S B T.
n F	The old \(\frac{1}{4} \) sec. cor. a post bears W.70 lks. dist. I destroy
	same and obliterate marks on old bearing trees, 2
	tamaracks.
50.00	Leave heavy timber, course N. and S.
80.00	Set a post 4 ft. long, 4 ins. square, 24 ins. in the ground,
	for cor. to secs. 35 and 36 marked B L T 1 N R 36 on N.,
-	S.36 on E. and S 35 on W. faces with 1 notch on E. and
	5 notches on W. faces, and raised a mound of stone
E 1924	around post. The old sec. cor. a post in mound of
	stone bears W. 1.50 chs. dist. I destroy both post
	and mound.
	Land, mountainous.
	Soil, 2nd rate.
	Heavily timbered with fir tamarack and pine on E. 50 chs.
	
100	West on Base Line on S. boundary of sec. 35.
- 1	Var. 20°E.
a 1	Descend mountain.
40.00	Set a basaltestone, 14x12x10 ins., 9 ins. in the ground,
2 =	for $\frac{1}{4}$ sec. cor. marked B L $\frac{1}{4}$ on N. face, and raised a
	mound of stone alongside.
	The old 4 sec. cor., a post in stone mound bears W. 85
	lks. dist. I destroy both post and mound.
46.50	Foot of hill about 100 ft. below sec. cor., course N.
57.08	Intersect graded Road bed of the Baker City Railway Line,
	course N.
80.00	Set a basalt stone, 20x8x8 ins., 15 ins. in the ground,
	for cor. to secs. 34 and 35, marked B L with 2 notches
	on E. and 4 notches on W. edges, and raised a mound
10 1 10	of stone alongside. I made careful search but could
	find no trace of old sec. cor.
1	Land, rough and mountainous.
8 - 4	Soil, sandy loam and stone, 2nd and 3rd rate.
	Timber, scattering pine.