7	Chains	
		cor. to Tps. 1 and 2 N., Rs. 36 and 37 E. The
		correction for the true line will, therefore, be 49 lks.
	8	S. and 11.15 chs. West per mile and its course will be
	*	N.89°39'W.
		From the cor. to Tps. 1 and 2 N., Rs. 36 and 37 East,
	- N	which is a post 4 ins. square, marked T 2 N S 31 on N.E.,
		R 37 E S 6 on S.E., T 1 N S 1 on S.W., and R 36 E S 36
		on N.W. faces with 6 notches on each edge, from which,
		A fir, 18 ins. diam., bears N.32°E., 18 lks. dist.,
	kap sa	marked T 2 N R 37 E S 31 B T.
		A fir, 12 ins. diam., bears N. 43°W., 75 lks. dist.,
		marked T 2 N R 36 E S 36 B T.
		A fir, 20 ins. diam., bears S. 51°W., 47 lks. dist.,
		marked T 1 N R 36 E S 1 B T.
		A fir, 20 ins. diam., bears S.18°E., 23 lks. dist.,
	. = 1	marked T 1 N R 37 E S B T.
		I run
(859		N.89°39'W. on a true line bet. secs. 1 and 36.
		Var. 20½°E.
		Through timber.
	12.00	A spring branch, 3 lks. wide, runs N.W., about 100 ft.
		below cor.
	18.00	Same branch, runs N.W.
	20.00	Leave heavy timber, course N.E.
	40.00	Set a basalt stone, 14x10x8 ins., 9 ins. in the ground,
		for \frac{1}{4} sec. cor. marked \frac{1}{2} on N. face, and raised a mound
		of stone alongside, from which,
		A pine, 36 ins. diam., bears N.36°E., 138 lks. dist.,
		marked & S B T.
		No other tree within limits.
	45.90	A ravine, course S.20°E., and ascend.
	74.00	Top of ridge, about 500 ft. above ravine, course S.
		Descend about 100 ft. to
	80.00	Set a basalt stone, 14x12x8 ins., 9 ins. in the ground,
	23.00	
		for cor. to secs. 1, 2, 35 and 36, marked with 1 notch
12		on E. and 5 notches on W. edges, and raised a mound of