## . Subdivisions of T. 1 N., R. 36 E.

	Chains 5.25	Dry bed of creek, course N.W.
- 2	21.50	Top of ridge about 250 ft. above creek bed, course S.W.
. 20	31.50	Dry bed of creek about 100 ft. below ridge, course S.W.
	40.00	Set temporary \( \frac{1}{4} \) sec. cor.
	58.50	Top of ridge about 250 ft. above creek bed, course S.W.
	76.50	Bottom of gulch about 150 ft. below ridge, course S.
	80.70	Intersect E. boundary, 43 lks. S. of the cor. to secs. 12,
		13, 7 and 18, which is a stone, 24x30 ins., in mountain
		side marked with a + on W. face and T 1 N S 7 on N.E.,
	£2	R 37 E S 18 on S.E., R 36 E S 13 on S.W., and S 12 on
72		the N.W. angles of   with 4 notches on S. and 2 notches
		on. N. edges, from which,
200		Service State Co. 1981 Annual Control Consideration (Consideration Consideration Consi
		A pine, 24 ins. diam., bears S.2°W., 200 lks. dist.,
		marked T 1 N R 36 E S 13 B T.
	9	Thence I run
		S.89°42'W. on a true line between secs. 12 and 13.
	40.35	Set a basalt stone, 14x12x4 ins., 9 ins. in the ground,
		for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which
	N 14.3	A pine, 6 ins. diam., bears N.20°W., 53 lks. dist.,
		marked 1 S B T.
		No other tree within limits, and
		raised a mound of stone alongside.
	80.70	The cor. to secs. 11, 12, 13 and 14.
		Land, mountainous.
		Soil, sandy loam, 2nd rate.
		Timber, scattering fir, pine and tamarack.
		Dense thickets of buck brush.
		1 18 T 82 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		North between secs. 11 and 12.
l e		Var. 201 °E.
		Descend about 75 ft. to
	7.00	Dry bed of creek, course N.W.
	74	Ascend.
	40.00	Set a basalt stone, 16x13x7 ins., 11 ins. in the ground,
		for \( \frac{1}{4} \) sec. cor. marked \( \frac{1}{4} \) on W. face, and raised a mound
514		8 2
. L		of stone alongside.