. Subdivisions of T. 1 N., R. 36 E.

	Chains	200 AS 82 30 WHI BARRS ARE ARE SON ENGINEERS AND ARE
		A tamarack, 8 ins. diam., bears South 24 lks. dist.,
0		marked 1 S B T.
	80,00	The cor. to secs. 1, 2, 11 and 12.
		Land, mountainous.
		Soil, 2nd rate.
		Heavily timbered with fir, pine and tamarack on E. 15.00
		chs. scattering timber on remainder with dense
		undergrowth of mountain laurel, alder and spruce.
		North on a random line between secs. 1 and 2.
		Var. 20 3/4°E.
	5.00	Top of ridge, course W.
	32.00	Bottom of gulch, about 500 ft. below ridge. Camp creek,
		5 lks. wide, runs W.
	40.00	Set temporary 1 sec. cor. 10
	80.14	Intersect N. boundary, 20 lks. E. of cor. to secs. 1, 2,
-	1 64	35 and 36, which is a basalt stone, 14x12x8 ins., 9 ins.
		in the ground, marked with 1 notch on E. and 5 notches
		on W. edges with mound of stone alongside.
		Thence I run
		S.0°9'E. on a true line between secs. 1 and 2.
	40.14	Set a basalt stone, 18x16x10 ins., 12 ins. in the ground,
10. 51	a 1	for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a
		mound of stone alongside.
	80.14	The cor. to secs. 1,2, 11 and 12.
	20 W	Land, mountainous.
		Soil, 3rd rate.
	12.00	Timber, scattering fir, and pine with dense undergrowth of
		mountain laurel, alder and wild cherry.
		From the cor. to secs. 34 and 35 on the Base Line, which
		is a basalt stone, 20x8x8 ins., marked B L with 2
		notches on E. and 4 notches on W. edges with a mound
<u>5)</u>	N (90)	of stone alongside.
		I run
		North between secs. 34 and 35.

MILHAM 19674