## Subdivisions of T. 1 N., R. 37 E.

Chains 80.00	Set a basalt stone, 16x12x10 ins., 11 ins. in the ground, for cor. to secs. 10, 11, 14 and 15, marked with 4	
S 8 7 1	notches on S. and 2 notches on E. edges, and raised a	
	mound of stone alongside.	
	Land, mountainous.	
	Soil, stony, 3rd rate.	
	Scattering fir, pine and tamarack timber.	
	Dense undergrowth of pine, fir, tamarack and mountain	
	laurel.	
	East on a random line between secs. 11 and 14.	
	Var. 21°E.	
40.00	Set temporary 1 sec. cor.	
80.12	Intersect 25 lks. N. of the cor. to secs. 11, 12, 13 and	
	14.	
	Thence I run	$\circ$
1	N.89°49!W. on a true line between secs. 11 and 14.	
40.06	Set a basalt stone, 16x12x6 ins., 11 ins. in the ground,	100
	for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a	
	mound of stone alongside.	
80.12	The cor. to secs. 10, 11, 14 and 15.	
00123	Land, mountainous.	
	The state of the s	
	Soil, stony, 3rd rate.	
	Scattering fir, pine and tamarack timber.	
	Dense undergrowth of mountain laurel.	
†	Nowth between sees 10 and 11	
	North between secs. 10 and 11.	
	Var. 21°E.	0
	Descend through scattering timber and brush.	
40.00	Set a basalt stone, 14x10x8 ins., 9 ins. in the ground,	
	for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside.	
62.00	Bottom of canyon about 700 ft. below sec. cor. A brook,	
	4 lks. wide, runs N.W.	
80.00	Set a basalt stone, 18x12x10 ins., 12 ins. in the ground,	
	2	