## Subdivisions of T. 1 N., R. 37 E.

	Chains 20.00	Foot of hill; ascend.
	40.00	Set temporary ½ sec. cor.
	50.00	Top of ridge, about 1000 ft. above creek, course S.E.
	99.00	Bottom of canyon, about 1000 ft. below ridge, course S.E.
	103.64	Intersect W. boundary, 44 lks. S. of the cor. to secs.
	0.004-54-00/12-20	19, 30, 24 and 25, which is 4 flat stones laid flat
		ways on each other, 14x14 ins., marked with a + on top
		and T 1 N S 19 on N.E., R 37 E S 30 on S.E., R 36 E S
		25 on S.W., and S.24 on N.W. angles of + from which,
		A pine, 18 ins. diam., bears S.28°W., 78 lks. dist.,
		marked T 1 N R 36 E S 25 B T.
		Thence I run
	SHEW SAW	S.89°47'E. on a true line between secs. 19 and 30.
	63.64	Set a basalt stone, 18x10x4 ins., 12 ins. in the ground,
		for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, from which,
		A cherry, 4 ins. diam., bears N.25°E., 20 lks. dist.,
		marked 1 S B T.
		A fir, 20 ins. diam., bears S.10°W., 61 lks. dist.,
		marked 1 S B T.
	103.64	The cor. to secs. 19, 20, 29 and 30.
		Land, mountainous.
		Soil, sandy loam and stony, 2nd and 3rd rate.
		Timber, scattering pine, fir and tamarack.
		September 8, 1882.
		North between secs. 19 and 20.
	S20. 3	Var. 201 °E.
		Descend about 200 ft. to
	9.00	North fork of Meacham creek, 30 lks. wide, runs S.W.
	11.00	Ascend hill.
	40.00	Set a basalt stone, 14x6x6 ins., 9 ins. in the ground,
		for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, from which,
		A pine, 8 ins. diam., bears N.25°E., 139 lks. dist.,
		marked 4 S B T.
		A pine, 10 ins., diam., bears N.55°W., 185 lks. dist.,
	2	# ST
	-4	marked 4 S B T.