## T. 1 S., R.34 E., W.M.

		_
Chains	Set baselt stone, 12 x 9 x 7 ins., 8 ins. in ground, for	Feet
edinarij, n	Closing Cor. to Tps. 1 S., Rs. 34 & 35 E., marked 6	
	notches on S.E. and W. edges and C.C. on S. face, from	
	which,	
11 =	A pine, 12 ins. diem., brs. S.40° E., 190 lks. dist.	
	marked T.1 S., R.35 E., S.6, C.C., B.T.	
	A pine, 20 ins. diam., brs. S.20° W., 208 lks. dist.,	
	marked R.34 E., S.1, C.C., B.T.	
	No other trees in limits.	
	Land; level, 16.00 chs., mountainous 66.90 chs.	
H (2)	Soil; 3rd rate.	
	Timber; pine, für and tamarack with dense thickets of un-	
e = 5	derbrush.	
	June, 27, 1887.	
	General Description.	
	This Tp. is very rough and mountainous.	
	It contains some good timber, but it is only valuable for	
	grazing, covered with fine bunch grass and being well	
15 36	watered by the McKay creek and its tributaries.	
i i	wavered by the money of ear and 105 of foundation	
E	Subdivisional Lines, T. 1 S., R.34 E., W.M. As surveyed by James P. Currin and James E. Noland U.S. Deputy Surveyors, under their Special Contract Dated May 4th, 1887.	
	I commenced at the Cor. to Secs. 1, 2, 35 & 36 on S. Bdy.	
	of Tp.,	
	I run,	
-	N. bet. Secs. 35 & 36	
\$ E	Var.20° 30' E.	
20.00	Begin to descend.	
40.00	Set basalt stone, 12 x 10 x 10 ins., 8 ins. in ground, for	
	\$ Sec. Cor., marked \$\frac{1}{2}\$ on W. face, from which,	
	A tamarack, 10 ins. diam., brs. N.87° E., 35 lks. dis	t.
	marked & S., B.T.	
	No other tree in limits and raised mound of stone alongsid	le
	Pits impracticable. In gulch, course N.E.	40