-	Chains	A pine, 16 ins. diam., brs. N.18°E.,62 lks. dist.,
		5 A N N N N N N N N N N N N N N N N N N
	76 6E	marked C.C., T.1 S., R.35 E., S.32, B.T.
1	36.65	Intersect the old & Sec. Cor., which is a basalt stone,
)		8 x 6 x 4 ins., above ground, firmly set, marked and
		witnessed as described by the Surveyor-General.
		Thence
		S.89°50'W., continuing my measurements.
	76.44	Intersect the Cor. of Tps. 1 & 2 S., Rs. 34 & 35 E.previous-
1	200	ly described.
		Land; rolling and bench.
		Soil; light, shallow loam on basalt bedrock, 2nd rate.
		Timber; pine and tamarack, good quality.
		Undergrowth; balsam and serviceberry.
		Resurvey Portion N.Bdy., T.2 S., R.35 E., W.M.
		As surveyed by L.E.Wilkes, U.S.Deputy Surveyor, Under SpecialtInstructions, Group 38,
		Dated Apr.18, 11917.
		Commence at the Closing Cor. of Tps. 1 & 2 S., Rs. 35 E.,
		on the E. Bdy. of the original Umatilla Indian Reser-
1 1		vation and run E. retracing N. Bdy. of Sec.5; at 38.80
		chs. findano trace of \(\frac{1}{4}\) Sec. Cor. of Secs. 32 & 33,T.1
		S.,R.35 E., and at 77.10 chs. fall 157 lks. N. of the
	1/	Closing Cor. of Secs. 4 & 5, hereinafter described. Thence
		36 24 CG
	40	N.88°50'W., resurveying N.Bdy. of Sec. 5.
1	a 0 1	Descend through scattering timber and undergrowth, 15 ft.to
	81	Creek, 20 lks. wide, course N.W.; ascend 700 ft. to
	22.50	Top of rocky ridge, called Salmon Back, brs. N.W. & S.E.;
	77	this ridge is crowned with rock cliffs; line passes
1	(7)	through cleft in them.
		Descend steep W. slope, 300 ft. to
200	28.33	The Closing Cor. of Secs. 32 & 33, T.1 S., R.35 E., which is
	a There	a basalt stone, 12 x 10 x 5 ins., above ground, marked
*		and witnessed as described by the Surveyor-General, brs.
133		N., 2 lks. dist.
		At this point, 2 lks. S. of the old Closing Cor., I set an