Subdivisions, T. 2 N., R. 36 E.

	Subdivisions, i. 2 N., N. Co 2.
Chains	and the second s
	A fir, 20 ins. in diam. bears N.55° W. 21 lks.
	dist., marked & S. B. T.
1 "	A fir, 7 ins. in diam. bears S. 25° E. 18 lks.
	dist., marked 1 S. B. T.
80.65	The cor. to secs. 20, 21, 28 & 2 9.
11 -	Land, mountainous.
	Soil, 2nd rate.
	Timber, scattering pine, fir and tamarack. Dense under-
	growth of fir and buck brush.
	North bet. secs. 20 & 21.
	Var. 21° East.
18	Ascend along side hill.
27.00	Top of-ridge, about 100 ft. above cor. Course W.
5	Descend about 100 ft. to
36.75	Bottom- of gulch, course W.
40.00	Set a basalt stone 12 x 12 x 5 ins., 8 ins. in the
	ground for \$\frac{1}{4}\$ sec. cor., marked \$\frac{1}{4}\$ on W. face, and
	raised a mound of stone alongside.
57.00	Top of ridge, about 150 ft. above gulch, course W.
72.00	Bottom of gulch, about 100 ft. below ridge, course W.
80.00	A point about 100 ft. above gulch;
	Set a basalt stone 18 x 12 x 12 ins., 12 ins. in the
	ground for cor. to secs. 16, 17, 20 & 21, marked with
	3 notches on S. and 4 notches on E. edges, and raised
	a mound of stone alongside.
	Land, mountainous.
	Soil, 3rd rate.
	Timber, scattering fir and pine.
- T	
	East on a random line bet. secs. 16 & 21.
	Var. 21° East.
	Ascend about 75 ft. to
7.00	Top of ridge, course N.W.
26.50	Bottom of gulch, about 300 ft. below ridge.