ASSESSED FOR THE PROPERTY OF THE PARTY OF TH										
Subdivisions	of	T.	2	N.	R.	37	E.	.W.	M.	

	Subdivisions of T. 2 N. R. 37 E. W. M.
Chains 19.05	Creek, 5 lks. wide, in ravine, 50 ft. deep course N.
24200	Leave heavy timber, bears N. and S.
39.92	The point for \(\frac{1}{4} \) Sec. cor. falls on rock in place, 3x2xl ft
W	above ground, on which, I cut a cross at the exact cor.
	point for \$ Sec. cor., marked with \$ on N. face. from
	which
F. F.	A fir, 12 ins. diam., bears S. 70° W., 106 lks.
7.4	dist., marked 1 S 27 B T.
	A fir, 10 ins. diam., bears N. 80° W. 123 lks.
3 S	dist., marked 1 S 22 B T.
43.90	Spring branch, 2 lks. wide, in ravine 50 ft. deep,
	course N.
56.00	Enter old burn, bears N. and S.
71.50	Leave burn and enter heavy timber, bears N. W., and S. E.
78.00	E. edge of mountain prairie, bears N. 30° W., S 60° E.
79.84	The cor. of Secs. 21, 22, 27 and 28.
	Land, mountainous.
	Soil, sandy loam; 2nd mate.
	Timber, fir, and pine.
. to	Undergrowth, mountain laurel.
	Mountainous land. 79.84 chs.
. 31	
	N. 0° 03' W. bet. Secs. 21 and 22.
	Over mountain plateau covered with heavy timber.
9.36	A fir, 36 ins. diam., on line, I mark with 2 notches on N.
	and S. edges.
14.00	Leave plateau and descend along E. slope of mountain,
	bears N. 30° W., S. 80° E.
26.00	Enter dense thicket of mountain laurel, bears E. and W.
40.00	Set ironstone, 18x12x10 ins. 12 ins. in the ground for
* 5	½ Sec. cor. marked ½ on W. face, from which
	A fir, 12 ins. diam., bears S. 15° E., 40 lks.
1	dist., marked 1/4 S 22 B T,
9.8.	
W. 7.5	

= 19 31

-

. . . .