

Subdivisions of T. 2 N. R 37 E. W. M.

	Chains	<p>Land, mountainous.</p> <p>Soil, loam and stony, 2nd and 3rd rate.</p> <p>Timber, pine, fir, spruce and tamarack.</p> <p>Mountainous land, 79.90 chs. August 7, 1901.</p>
	40.00	<p>W. on random line bet. Secs. 7 and 18.</p> <p>Set temp. <math>\frac{1}{4}</math> Sec. cor.</p>
	100.97	<p>Intersect W. bdy. of Tp. 4.50 chs. S. of the cor. of Secs. 7, 12, 13 and 18 established by me. June 18, 1901..</p> <p>I destroy all marks on said cor. pertaining to the survey on the E.</p> <p>At point of intersection set ironstone, 20x12x10 ins., 15 ins. in the ground, for closing cor. of Secs. 7 and 18, marked C. C. on E. face; with 2 grooves on N. and 4 grooves on S. faces, from which</p> <p>A fir, 12 ins. diam., bears N. 65° E., 59 lks. dist., marked T 2 N R 37 E., S 7 B T.</p> <p>A tamarack, 18 ins. diam., bears S. 70° E., 58 lks dist. marked T 2 N R 37 E., S 18 B T.</p> <p>Thence I run East on true line, bet. Secs. 7 and 18.</p> <p>Over level bottom, subject to inundation.</p>
	0.15	<p>S. Fork Umatilla River, 30 lks. wide, slow current, sandy bottom, course N. 20° E.</p> <p>Ascend through heavy timber and dense undergrowth bears N. E. and S. W.</p>
	3.00	Steep ascent of W. slope of mountain.
	21.00	Over precipitous ground, through scattering timber, bears N. and S.
	31.00	Top of ridge, 800 ft. above river, bears N. E. and S. W. Descend.
	39.20	Creek, 10 lks. wide, in canyon 500 ft. deep, course N. 40° E.
		Ascend through heavy timber, bears N. and S.
	60.97	Set ironstone, 15x10x5 ins., 10 ins. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{2}$ on N. face, from which