

Subdivisions of T. 2 N. R. 37 E. W. M.

Chains 80.00	A fir, 10 ins. diam., for cor. of Secs. 5, 6, 7 and 8. I mark T. 2 N., S. 5 on N. E., R. 37 E., S. 8 on S. E. S. 7 on S. W. and S. 6 on N. W. faces; with 5 notches on E. and S. edges; from which A fir, 12 ins. diam., bears N. 42° E., 37 lks. dist., marked T 2 N R 37 E., S 5 B T. A fir, 12 ins. diam., bears S. 38° E., 23 lks. dist., marked T 2 N R 37 E., S 8 B T. A fir, 16 ins. diam., bears S 18° W., 60 lks. dist., marked T 2 N R 37 E., S 7 B T. A fir, 12 ins. diam., bears N. 15° W., 69 lks. dist., marked T 2 N R 37 E., S 6 B T. This cor. stands about 400 ft. below top of divide. Land, mountainous. Soil, loam and stony. 2nd and 4th rate. Timber, fir, pine and spruce. Mountainous land, 80.00 chs.
40.00	N. 89° 51' E. on random line bet. Secs. 5 and 8. Set temp. $\frac{1}{2}$ Sec. cor.
80.19	Intersect N. and S. line 9 lks. N. of the cor. of Secs. 4, 5, 8 and 9. Thence I run S. 89° 55' W. on true line bet. Secs. 5 and 8.
8.75	Ascend steep E. slope of ridge, through scattering timber. Top of ridge, 50 ft. above Sec. cor. bears N. and S. Descend across basin on N. slope of mountain, through heavy timber and dense undergrowth.
31.00	Leave heavy timber and undergrowth, bears N. and S.
31.75	Trail to Bingham Springs, bears N. and S.
	Descend steep W. slope, mountain bears N. and S.
40.09 $\frac{1}{2}$	Set ironstone, 24x8x8 ins. 18 ins. in the ground, for $\frac{1}{2}$ Sec. cor., marked $\frac{1}{2}$ on N. face. Raise mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor. Pits impracticable.