

## Exteriors, T. 2 S., R.35 E., W.M.

Chains	Feet
	Mountains, and is covered with heavy timber of pine, fir and tamarack, of good quality. The soil, in places on table lands is good if not too high for agricultural purposes. Grass is good and abundant. Water is scarce.
	Aug. 25, 1881.
	Subdivisional Lines, T.2 S.,R.34 E.,W.M. As surveyed by Jas. P. Currin & Jas. E. Noland, U.S.Dept.Sur. Under their Special Joint Contract, dated May 4, 1887.
	Beginning at Cor. to Secs. 35 & 36, on S. Bdy. of Tp. 2 S., R.34 E., which is a stone, 16 x 10 x 5 ins., from which, A pine, 15 ins. diam., brs. S.77°W., 27 lks. dist., marked T.3 S.,R.34 E.,S.2,B.T. A pine, 24 ins. diam., brs. S.73°E., 37 lks. dist., marked S.1,B.T. A pine, 24 ins. diam., brs. N.32°E., 39 lks. dist., marked T.2 S., R.34 E., S.36,B.T. A pine, 36 ins. diam., brs. N.82°W., 190 lks. dist., marked T.2 S.,R.34 E.,S.35,B.T.  Var.21°E. Thence N. on true line bet. Secs. 35 & 36. 18.00 Enter timber. 36.45 Intersect U.R. Bdy. at point, S.20° W. of $\frac{1}{2}$ mile Cor. in 63rd mile, 85 lks. dist. and Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for Closing Cor. to Secs. 35 & 36, marked U.R.,C.C.,T 2 S.,R.34 E. on N. S.36 on E. and S.35 on W. faces, from which, A fir, 16 ins. diam., brs. S.79°E., 9 lks. dist., marked T.2 S., U.R.,C.C., B.T. A fir, 20 ins. diam., brs. S.60° W., 34 lks. dist., marked R.34 E.,U.R.,C.C.,B.T.