

Resurvey Subdivisional Lines, T. 2 S., R. 34 E., W. M.

Chains		Feet
	Soil; rocky, 3rd rate. Timber; fir & pine. Undergrowth; fir & pine.	
	N., retracing the line bet. Secs. 9 & 10; at 39.84 chs. fall 45 lks. E. of old $\frac{1}{2}$ Sec. Cor. From the $\frac{1}{4}$ Sec. Cor., N., continuing my retracement; at 40.00 chs. am unable to find any trace of the Cor. of Secs. 3, 4, 9 & 10, set temp. Cor.	
	From temp. Cor. N., retracing the line bet. Secs. 3 & 4; at 40.00 chs. find no trace of the $\frac{1}{2}$ Sec. Cor., set temp. Cor., and at 79.15 chs. fall 73 lks. W. of the Closing Cor. on N. Bdy. of the Tp.	
	From the temp. Cor. of Secs. 3, 4, 9 & 10, N. 89° 55' W., retracing the line bet. secs. 4 & 9; at 39.95 chs. no trace of the $\frac{1}{4}$ Sec. Cor., and at 79.12 chs. intersect the point for Cor. of Secs. 4, 5, 8 & 9.	
	The point for Cor. of Secs. 4, 5, 8 & 9 is located by reference to the old bearing trees. At exact Cor. point Set basalt stone, 16 x 16 x 8 ins., 12 ins. in ground, for Cor. of Secs. 4, 5, 8 & 9, marked with 5 notches on S., and 4 notches on E. edges, from which, A fir, 16 ins. diam., brs. N. 65° E., 15 lks. dist., marked T. 2 S., R. 34 E., S. 4, B.T. (Old B.T.) A fir, 10 ins. diam., brs. S. 52° E., 65 lks. dist., marked T. 2 S., R. 34 E., S. 9, B.T. (Old B.T.) A pine, 10 ins. diam., brs. N. 40° W., 18 lks. dist., (Tree not sound) A fir, 6 ins. diam., brs. S. 37° 30' W., 37 $\frac{1}{2}$ lks. dist., marked T. 2 S., R. 34 E., S. 8, B.T. (New B.T.) A fir, 16 ins. diam., brs. N. 40° W., 5 lks. dist., marked T. 2 S., R. 34 E., S. 5, B.T. (New B.T.)	
	Thence N. 89° 56' E., on true line bet. Secs. 4 & 9.	
79.90	Set iron post, 3 ft. long, 2 ins. diam., 24 ins. in ground, for Cor. to Secs. 3, 4, 9 & 10, with brass cap, marked, T2S R34E S4 S3 S9 S10 1917 from which, A fir, 8 ins. diam., brs. N. 60° E., 100 lks. dist.,	