Re-surveying Subdivisional Lines, T.2 S., R.34 E., W. M.

Chains	undergrowth and scattering timber.
19.00	
5655.5060	brs. N.E. & S.W.; ascend broken S.E. slope, 400 ft. to
35.40	
40.22	The state of the s
7	Set iron post, 3 ft. long, 1 in. diam., 26 ins. in ground,
	for } Sec. Cor., with brass cap, marked,
	101 4 200. 001., 1101. 51455 049, 1101.
	\$4 \$3 1917
	from which,
	A pine, 48 ins. diam., brs. S.23°30'W., 311 lks. dist.,
	marked & S.4,B.T.
	A hillside spring flowing S., brs. S.30°E., 462 lks.
	dist.
	No other tree available; raise mound of stone, 4 ft. base,
	12 ft. high, W. of Cor.
	Ascend 475 ft. to
56.80	
61.00	
1	descend N.W. slope.
78.93	The Closing Cor. of Secs. 3 & 4, on N. Bdy. of Tp.
	Land; mountainous.
	Soil; shallow, 3rd rate.
	Timber; pine & fir.
	Undergrowth; willow, ninebark, fir and pine.
	The retracement and resurvey of the subdivisional lines
	bounding the surveyed portion of this Tp. indicate
2	that the original subdivision affords a correct base
8	on which to initiate the new survey; I, therefore, com-
	mence at the Cor. of Secs. 14, 15, 22 & 23; thence
	N.0°12'E., bet. Secs. 14 & 15.
	Over mountainous land, through small timber and dense un-
	dergrowth.
25 10	Descend broken N. slope.
3.20	7 700tf