

Subdivisional Lines, T.2 S., R.35 E., W. M.

Chains		Feet
79.80	Dry gulch, course S.W., 250 ft. above bed of creek.	
80.00	Set basalt stone, 30 x 15 x 8 ins., 24 ins. in ground, for Cor. to Secs. 3, 4, 9 & 10, 20 ft. above dry gulch, marked with 5 notches on S. and 3 notches on E. edges, from which,	
	A fir, 24 ins. diam., brs. S.15°E., 17 lks. dist., marked T.2 S., R.35 E., S.10, B.T.	
	A fir, 26 ins. diam., brs. S.15°W., 38 lks. dist., marked T.2 S., R.35 E., S.9, B.T.	
	A pine, 32 ins. diam., brs. N.43°W., 47 lks. dist., marked T.2 S., R.35 E., S.4, B.T.	
	A pine, 15 ins. diam., brs. N.42°E., 55 lks. dist., marked T.2 S., R.35 E., S.3, B.T.	
	Land; mountainous.	
	Soil; 3rd rate.	
	Heavily timbered with pine, fir and tamarack, and Dense undergrowth of pine, fir and tamarack.	

	N. on random line bet. Secs. 3 & 4.	
	Var. 17°30'E.	
1.50	Enter glade, brs. N.E. & S.W.	
5.00	Leave glade, brs. N.W. & S.E. and enter timber.	
10.00	Top of hill, brs. N.W. & S.E., 350 ft. above Sec. Cor.	
23.00	Descend hill, brs. E. & W.	
31.52	Dry gulch, course W., 150 ft. below top of hill, & ascend.	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor. on top of hill, brs. E. & W., 150 ft. above dry gulch.	
81.65	Intersect N. Bdy. of Tp., 65 lks. W. of Cor. to Secs. 3, 4, 33 & 34, which is a post, 4 ins. sq., marked T.1 S., S.34 on N.E.; R.35 E., S.3 on S.E.; T.2 S., S.4 on S.W. and S.33 on N.W. faces with 3 notches on E. & W. edges, from which,	
	A tamarack, 12 ins. diam., brs. S.60°W., 22 lks. dist., marked T.2 S., R.35 E., S.4, B.T.	
	A fir, 11 ins. diam., brs. S.53°E., 27 lks. dist.,	