Subdivisional Lines T.3 N., R.38 E., W.M.

T			
0	Chains	witnessed, brs. N.12° W., 450 lks. dist. I destroy Cor.	
		and marks on bearing trees.	
	40.75	Spring branch, 4 lks. wide, course S.W.	- 5
	80.00	Set granite stone, 18 x 8 x 7 ins., 12 ins. in the ground,	(
		for Cor. of Secs. 9,10,15 & 16, marked with 4 notches	Ι,
		on S., 3 notches on E. edges, and raised a mound of	
		stone, 2 ft. base, 12 ft. high, W. of Cor. Pits imprac-	
		ticable.	
		From this Cor., the old Cor., a tree marked and witnessed,	
		brs. N.451 lks. dist. I destroy Cor. and marks on bear-	
	21	ing trees.	
		Land; mountainous.	
		Soil; poor 4th rate.	
		Timber; scattering fir and pine.	
	2	This line passes up steep, rocky S. side of mountain.	83
		Mountainous land, 80.00 chs.	* 7
l		and an action of the control of the	3
	8	Determine a true meridian with the solar at the Cor. of	
		Secs. 9, 10, 15 & 16.	
		N.3' W. bet. Secs. 9 & 10.	
	40.00	Set post, 3 ft. long, 3 ins. sq., 24 ins. in ground for 1	1 75
ď	10.00	Sec. Cor., marked ans 9 on W. and S 10 on E. faces,	SW.
		from which,	
		A fir, 5 ins. diam., brs. N.24° E., 23 lks. dist.,	
		marked 1 S 10, B.T.	
	8	A fir, 6 ins. diam., brs. N.75° W., 28 lks. dist.,	
		marked ½ S 9.B.T.	
		From this Cor., the old 1 Sec. Cor., a post, marked and	
1	350	witnessed, brs. N. 1° W., 451 lks. dist. I destroy Cor.	
		and marks on bearing trees.	
	48.00	Ravine, course N.E.	-50
	57.00	Wooderd Toll Road, brs. N.80° E., S.80° W.	 25
	72.00	Spring branch, 2 lks. wide, course E.	-50
		117	 75
	80.00	for Cor. of Secs. 3, 4,9 & 10, marked with 5 notches	
		on S., 3 notches on E. edges, and raised mound of stone	