## Subdivisional Lines, T. 3 S., R. 30 E.

	7		-
	Chains		Feet
		Var. 20° 15' E.	
	22.00	Cross to W. side of irregular ridge,	
	40.00	Set Basalt stone 18 x 8 x 6 on N.W. hillside for \( \frac{1}{4} \) Sec. Cor.	- 80
de II	80.00		
8		Set Basalt stone 17 x 12 x 6 on N.W. face of hill for Cor. to Secs. 7, 8, 17 & 18, also post in mound of	
		stone.	
		Land; surface broken,	
a		Soil; 3rd rate & stony, good grass, good only for grazing	
		E on a rendom line between deal of a re	. *
		E. on a random line between Sec. 8 & 17,	
	40.00	Var. 20° 30' E.	
- 40	40.00	2,111 111 119,14 2001 001.	
	80.14	Intersected N. and S. line, 38 lks, N. of Cor. to Sec.	l
V	I HEALIN CO	8, 9, 16 & 17, from which Cor I run,	
		N. 89° 44' W. on a true line between Sec. 8 & 17,	,
	85	Var. 20° 00' E	)
	31.00	Wagon road, course N. & S. to timber	
• •	31.50	Spring branch, course N.	-100
	40.07	Set Basalt stone 14 x 10 x 7 on E. hillside for 2 Sec.	÷ 50
A 5		Cor.	1 20
	80.14	Mho Com to Co. R. o. an	
			+100
		Land; surface broken,	
		Soil; 3rd and 2nd rate, good grass, good grazing land.	
		W. on a random line between Sec. 7 & 18,	
		Var. 20° 30' E.	
	40.00	Set post for temp. & Sec. Cor.	
- "	@1.18	The state of the s	
· ·	(D1.	Intersected W. Bdy. 38 lks. N. of Cor. to Sec. 7 & 18,	
153 18	555	from which Cor I run,	
- H		N. 89° 44' E. on a true line between Sec. 7 & 18,	
10		Var. 20° 00' E	
	17.00	Gulch, course N.E.	-100
	41.18	Set Basalt stone 14 x 10 x 6 on N.W. slope of hill for	120
		\$ Sec. Cor.	