Chains		Fee
40.00	Set basalt stone 18 x 7 x 6 ins. 12 ins. in ground at	13
	foot of bluff in creek bottom for \$ Sec. Cor., marked	
	1 on W. face, descent about 300 ft.	. /
	A Tamarack 8 ins. diam. brs. S. 50° E. 26 lks. dist.	
	Marked 4 S. B.T.	
	A Tamarack 5 ins. diam. brs. S. 43° W. 19 lks. dist.	
a .	Marked 1/4 S. B.T.	::
43.75	Creek, 30 lks. wide, course N.W.	
65.90	Set a basalt stone 14 x 12 x 5 ins. and post three feet	
	long 5 ins. diam. faced S.E. and S.W. in mound of stone	
	on S. slope for Cor. to Secs. 4 and 5 at intersection	
	of N. bdy. 29.74 chs. W. of Cor. to Secs. 31 and 32 of	
37	T. 2 S., R. 32 E. Stone marked with 6 notches on S.	
1	and 4 notches on E. edges. Post marked T. 3 S., S. 4 on	122
	S.E. and R. 32 E., S. 5 on S.W. (ascent 200 ft.)	- 5
	Note: - E.H. Ollcott has quite extensive improvements on	
	Sec. 4.	1
	Land; surface broken,	28
	Soil: 3rd and 2nd and 1st rate. Some Pine, Tamarack and	
	Fir timber; larger part open, excellent grass	
	May 26, 1882.	
8	Note: - I complete all these closings on N. Bdy. on May	
	27th 1882, and set the proper corners.	
	General Description	
	The surface in the S. and S. Eastern part is either undu-	
	lating or rolling and in the Northern and N. Western	
	part, rolling, broken or mountainous.	
	Soil about 3/4 3rd rate, remainder 2nd or first rate, and	
VIIIV	well adapted to farming. About 1/3 is heavily timbered.	
e M	1/3 timber scattering and 1/3 open glades and Prairie,	
	but is so irregular that it is impossible to describe	
N/	it.	

three Settlers, 2 on Sec. 8 and one on Sec. 4.