Chai	ns Fe
0 8	for standard Cor. of Secs. 34 & 35, marked S.E. on N.
	face, with 2 grooves on E. and 4 grooves on W. faces,
i ce	from which:
9	A Pine, 28 ins. diam.brs. N. $72\frac{1}{2}^{\circ}$ E., 2 chs. & 20 lks. dist., marked T 5 N., R. 38 E., S. 35 B.T.
	No other trees in limit; I raised a mound of stone, 2 ft.
	base, la ft. high, N. of Cor.; pits impracticable.
	Land; mountainous
, a	Soil; stony, 4th rate.
	Timber, pine, fir, tamarack and spruce
1.	Undergrowth, chapparel, pine, fir, tamarack, spruce, wil-
	low, huckleberry and bunchgrass.
	Mountainous land, 80.00 Chs.
	July 19:
	At the Cor. of Secs. 34 & 35, I set off 20° 47' N. on the
	decl. arc. and at 12h. 5 m. P.M. 1.m.t., obsure the
	sun on the meridian, the resulting latitude in 45° 52!
100	S. 89° 57' E. on S. Bdy. of Sec. 35
	Ascending through scattering timber.
6.5	And the same of th
13.0	97 375 CS 39 1 CS CS 49 1 CS
32.0	The second secon
	Difference in measurement of 40.00 Chs. by two sets of
2003	Chainmen is 8 lks., position of middle point
	By 1st set, 40.04 Chs.
	By 2nd set, 39.96 Chs. the mean of which
40.0	and the composition of the control o
	and set a basalt stone, 36 x 30 x 20 ins., 27 ins. in
	mound of stone, a rocky ground for standard & Sec. Cor.
	marked S.C. $\frac{1}{4}$ in N. face, and raised a mound of stone
	2 ft. base, 12 ft. high, N. of Cor.; pits impracticable.
57.9	and Name and Architecture of the control of the con
59.1	A CONTRACTOR OF THE CONTRACTOR
500000000000000000000000000000000000000	TOTAL PROPERTY OF THE CONTROL OF THE
74.9	
	20 x 10 x 4 ins. marked and witnessed as described by