	Chains	Fe
		dist., marked T 4 N., R. 39 E., S. 6 B.T.
		A tamarack, 24 ins. in diam. brs. S. 38° 30' E. 34 lks. diat., marked T 4 N., R. 39 E., S. 7 B T.
		A tamarack, 30 ins. in diam. brs. S. 66° W., 55 lks. dist., marked T 4 N., R. 38 E., S. 12 B.T.
		A tamarack, 12 ins. in diam. brs. N. 222 W., 55 lks. dist., marked T 4 N., R. 38 E., S 1 B.T.
		Therefore the S. half of this line is 39.75 Chs. in length
		and brs. S. 2° 22' E.
*		Land; mountainous
	*	Soil; first and second rates. Timber; fir, pine, spruce
		Undergrowth, willow, maple and wild berry
		Mountainous or heavily timbered land or land govered with
		dense undergrowth and exceptionally difficult to survey.
		79.94 Chains.
		S. 8' W. on a resurvey bet. Secs. 7 & 12
		Ascend steep N. slope through scattering timber and dense undergrowth.
	38.00	Top of ascent, 1500 ft. above the Walla Walla River.
	- 22	Thence begin gentle descent through heavy timber and dense
		undergrowth.
	39.88	Intersect the old & Sec. Cor. The post described by the
		surveyor general is destroyed and the marks on the bear-
**		ing trees are overgrown. I re-established the Cor. at
		the same point as follows:
		Set a basalt stone, 12 x 8 x 8 ins., 8 ins. in the ground
		for \(\frac{1}{4} \) Sec. Cor., marked \(\frac{1}{4} \) on W. face, from which:
		A fir, 8 ins. in diam. brs. N. 25° E., 19 lks. dist. marked 4 S 7 B T
		A fir, 10 ins. in diam. brs. S. 79° W., 16 lks. dist. marked 4 S 12 B T
	4.0	Therefore the N. half of this line is 39.88 Chs. in length of the resure S of 8 w., gentle descent through heavy tim-
		ber and dense undergrowth.
	79.83	Intersect the old Cor. for Secs. 7, 12, 13 & 18.
		Approximate Control of the Control o

CILHAM 1597