	Chains	
	n - 451	From the witness Cor. to Secs. 16 & 17, 20 & 21, I run
		E., 80.50 Chs. Thence N. 13.50 Chs. to line bet. Secs.
	7	16 & 21, thence I run
		E. on random line bet. Secs. 16 & 21
14.	31.50	Var. 20° E. Set temp. ½ Sec. Cor.
	49.50	Spring brook, 3 lks. wide, runs N.E.
	53.00	Spring brook, 2 lks. wide, runs N., about 300 ft. below last Cor.
a		Ascend, 100 ft. to
	60.00	Top of ridge, course N.E. and S.W.
24	00.00	
	F14 00	Descend, 300 ft.
	74.80	Creek, 13 lks. wide, runs. N.W.
	80.10	Intersect N. and S. line, 10 lks. S. of Cor. to Secs.
4.	45	15, 16, 21 & 22, thence I run
		S. 89° 56' W. on true line bet. Secs. 16 & 21, with same
	e etre-	. Var.
	40.00	Set a basalt stone, 13 x 12 x 10 ins., 9 ins. in ground
	A	for \( \frac{1}{4} \) Sec. Cor., marked \( \frac{1}{4} \) on N. face for \( \frac{1}{4} \) Sec. Cor.
		A fir, 18 ins. diam. br. S. 6° E., 13 lks. dist. marked \$ S.B.T.
	26 A	A fir, 13 ins. diam. brs. N. 6° E., 13 lks. dist. marked \$ S.B.T.
	71.60	To the edge of perpendicular canyon, course S.W. & N.E.
0		and set a post 42 ft. long, 4 ins. sq., with marked
		stone, 24 ins. in ground for witness Cor. to Secs. 16,
		17, 20 & 21; marked , W.C.T.4 N., S 16 on N.E., R 38 E.
	(f) (K)	S. 21 on S.E., S. 20 on S.W. and S. 17 on N.W. faces,
Y	- E	with 3 notches on S. and 4 notches on E. edges from which
	2 NO.	A fir, 18 ins. diam. brs. N. 62° E., 107 lks. dist. marked T 4 N R 38 E S 16 W C B T
	ga a	A fir, 30 ins. diam. brs. S. 34° E., 103 lks. dist. marked T 4 N R 38 E S 21 W C B T
		Land; mountainous
	4 4	Densely covered with forests of pine, fir and tamarack,
		71.60 Chs.
		Thick undergrowth; pine, fir and tamarack, 71.60 Chs.
		Soil; sandy, 2nd rate.