Chains	
	A Pine 13 ins. diam. brs. N. 35° W. 45 lks. dist.
	marked T. 4 S., R. 30 E., S. 1 B.T.
-	Thence I run,
	S. 89° 54' W. on a true line bet. Secs. 1 and 12,
	Var. 21° 45' E.
40.74	
40.16	Set a basalt stone 12 x 10 x 8 ins., 8 ins. in ground
A	on level bench for & Sec. Cor., marked & on N. side.
-	A Pine 36 ins. diam. brs. N. 10° E. 58 lks. dist.
2 %	marked & S.B.T.
	A Pine 34 ins. diam. brs. S. 68° E. 22 lks. dist.
	marked & S.B.T.
80.32	The Cor. to Secs. 1, 2, 11 and 12.
	Land; surface very broken,
- 1	Soil; 2nd and 3rd rate; heavily timbered with Pine,
	Tamarack and Fir, with open glades.
e = =	N. bet. Secs. 1 and 2,
8	The second of th
*	Var. 24° 45' E.
10 10	Steep descent,
28.00	A brook 10 lks. wide, course N.E.
- 1	Descent about 200 ft.
40.00	Set a basalt stone 18 x 10 x 6 ins. 12 ins. in ground
6	on E. slope for \$\frac{1}{4}\$ Sec. Cor., marked \$\frac{1}{4}\$ on W. face.
	Ascent about 50 ft.
	A Tamarack 6 ins. diam. brs. S. 57° E. 19 lks. dist.
	marked & S.B.T.
	A Pine 16 ins. diam. brs. S. 84° W. 64 lks. dist.
. 1	marked & S.B.T.
67.42	Intersected N. Bdy. 7.08 chs. W. of Cor. to Sec. 35
- restants	and 36 T. 3 S., R. 30 E., Set a basalt stone 16 x 10 x
8	8 at inter-sections on level on W. bank of brook for
	Cor. to Secs. 1 and 2, marked with 6 notches on S.
	and 1 on E. edges.
	Descent about 150 ft. from \(\frac{1}{4} \) Sec. Cor.,
	A Alder 8 ins. diam. brs. S. 40° E. 16 lks. dist.