Subdivisional Lines of T. 4 S., R. 30 E.

			Ti-
	Chains		Fe
0	- 3	Var. 21° 00' E	
	19.50	A spring branch, course S.E.	
	40.00	Set temp. ½ Sec. Cor.	
	80.04	Intersected N. and S. line, 8 lks. S. of Cor. to Secs.	
	1.50	27, 28, 33 and 34, thence I run,	
		S. 89° 57' W. on a true line bet. Sec. 28 and 33,	
		Var. 20° 30' E	
	40.02	Set a basalt stone 15 x 10 x 4 ins. 10 ins. in ground	
		on S. slope for & Sec. Cor., marked & on N. side,	
	27	A Pine 48 ins. diam. brs. N. 20° E. 48 lks. dist.	
		marked \(\frac{1}{4} \) S.B.T.	
		A Pine 42 ins. diam. brs. S. 33° W. 50 lks. dist.	
		marked & S.B.T.	
	20.04		
	80.04	The Cor. to Secs. 28, 29, 32 and 33.	
		Land; surface undulating,	
1	30 30	Soil; 2nd and 1st rate, heavily timbered with Pine, Tam-	
		arack and Fir with some open glades.	
1			
		N. bet. Secs. 28 and 29.	
		Var. 21° 00' E.	
		Undulating,	
	40.00	Set a basalt stone 20 x 12 x 6 ins. in mound of stone	
		on rocky knoll for \(\frac{1}{4} \) Sec. Cor., marked \(\frac{1}{4} \) on W. face,	
100		A Pine 20 ins. diam. brs. S. 86° E. 125 lks. dist.	
	Ī	marked \(\frac{1}{4}\) S.B.T.	
100		S-	
	20	A Pine 33 ins. diam. brs. S. 27° W. 93 lks. dist.	
	00.00	marked & S.B.T.	
	80.00	Set a basalt stone 16 x 8 x 7 ins. and post 4 ft. long	
		4 ins. square in a mound of stone in a rocky open glade	
		on level for Cor. to Secs. 20, 21, 28 and 29. Stone	
- 1		marked with 2notches on S. and 4 notches on E. edges;	
	*	and post marked with 2 notches on S. and 4 notches on	
		E. edges and,	
		T. 4 S., S. 21 on N.E.	
		R. 30 E., S. 28 on S.E.	
196741		S:29 on S.W.	