	Chains	And the second s	Fee
	39.84	Set a basalt stone 14 x 12 x 7 ins. 10 ins. in ground	
		on slight S.E. slope for \( \frac{1}{4} \) Sec. Cor., marked \( \frac{1}{4} \) on N.	
15		face	
8		A Pine 16 ins. diam. brs. N. 34° E. 57 lks. dist.	
-		marked \(\frac{1}{4}\) S. B.T.	
	9		
		A Tamarack 20 ins. diam. brs. S. 59° E. 53 lks. dist.	)
		marked & S.B.T.	
	79.68	The Cor. to Secs. 19, 20, 29 and 30.	
		Land; surface undulating,	
		Soil; 2nd and 3rd rate, scattering Pine, Tamarack and	
		Fir timber with open glades. Good grass.	
		June 18, 1882.	
		W. on a random line bet. Secs. 19 and 30.	
• 61		Var. 23° 30' E.	
11.		Undulating,	
84	40.00	Set temp. ½ Sec. Cor.	
	78.42	Intersected W. Bdy. 72 lks. S. of Cor. to Secs. 19 and	
	0000844.VdtV +4	30, which is a stone 15 x 8 x 5 ins., marked with 2	
		notches on S. and 4 notches on N. Edges.	
		A Pine 10 ins. diam. brs. N. 26° E. 67 lks. dist.	
		marked T. 4 S., R. 30 E., S. 19 B.T.	
		A Pine 26 ins. diam. brs. S. 38° E. 168 lks. dist.	
		marked T. 4 S., R. 30 E., S. 30 B.T.	1
		Transport Control of C	
	E 38 E	A Pine 20 ins. diam. brs. N. 61° W. 72 lks. dist.	
		marked T. 4 S., 29 Er, S. 24 B.T.	
	8	No trees S.W.	
		Thence I run,	
		S. 89° 29' E. on a true line bet. Secs. 19 and 30.	
	19	Var. 25° 30' E.	
	38.42	Set a basalt stone 14 x 12 x 5 ins., 310 ins. in ground	
		on level in open glade for \( \frac{1}{4} \) Sec. Cor., marked \( \frac{1}{4} \) on	
	*	N. face,	
	1	A Pine 9 ins. diam. brs. N. 40' W. 200 lks. dist.	

marked  $\frac{1}{4}$  S. B.T.