Chains A Fine 11 ins. diam. brs. S. 42° W. 106 1ks. dist. A Pine 16 ins. diam. brs. N. 88° W. 75 ks. dist. No other trees near. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Good grass. October 22, 1880 E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek, 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E. 86 " " " " 43 " " S. 28° E. 86 " " " " 45 " " N. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Fine and Fir timber, good grass. Well adapted to farming.		
A Pine 16 ins. diam. brs. N. 88° W. 75 lks. dist. No other trees near. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Good grass. October 22, 1880 E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$ Sec. Cor. 30.04 Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$ Sec. Cor. A Pine 7 ins. diam. brs. N. 65° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " " " " " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	Chains	
No other trees near. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Good grass. October 22, 1880 E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. Set psot for temp. \$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 26° E. 86 " " " " 43 " " S. 15° W. 100 " " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	4,	A Pine 11 ins. diam. brs. S. 42° W. 106 lks. dist.
Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Good grass. October 22, 1880 E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. ½ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for ½ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 60.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 14 3 " " S. 15° W. 100 " " " 1 " " " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		A Pine 16 ins. diam. brs. N. 88° W. 75 lks. dist.
Soil; 3rd and 2nd rate. Some scattering Pine timber. Good grass. October 22, 1880 E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$\frac{1}{4}\ \text{Sec. Cor.}\ Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' B 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$\frac{1}{4}\ \text{Sec. Cor.}\ 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 60.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\ \text{ of Sec. 35 is good farming land.} N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\ \text{Sec. Cor.}\ A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 14 3 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		School and the second s
E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 39° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$ Sec. Cor. 73.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		Land; surface undulating,
E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 39° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$ Sec. Cor. 73.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		Soil; 3rd and 2nd rate. Some scattering Pine timber.
E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 Set psot for temp. \$\frac{1}{4}\$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 39° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$\frac{1}{4}\$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. Snipe Creek 15 lks., course N.E. The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		ASSET ATOM
E. on a random line bet. Secs. 26 & 35. Var. 21°30'E. 40.00 80.04 Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 39° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$\frac{1}{4}\$ Sec. Cor. 73.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		October 22, 1880
Var. 21°30'E. 40.00 80.04 Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \(\frac{1}{4}\) Sec. Cor. 73.00 Snipe Creek, 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \(\frac{1}{2}\) of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \(\frac{1}{4}\) Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
Var. 21°30'E. 40.00 80.04 Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \(\frac{1}{4}\) Sec. Cor. 73.00 Snipe Creek, 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \(\frac{1}{2}\) of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \(\frac{1}{4}\) Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		E. on a random line bet. Secs. 26 & 35.
40.00 Set psot for temp. \$\frac{1}{4}\$ Sec. Cor. Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$\frac{1}{4}\$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. Snipe Creek 15 lks., course N.E. The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E, 36 " " " " 43 " " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		250
Intersected N. and S. line 28 lks. N. of Cor. to Secs. 25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for \$\frac{1}{4}\$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. Snipe Creek 15 lks., course N.E. The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E, 86 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	40.00	
25, 26, 35 and 36, from which Cor. I run, N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for ½ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 26° E. 86 " " " " 43 " " S. 15° W. 100 " " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	80.04	
N. 89° 48' W. on a true line bet. Secs. 26 and 35. Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for ½ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E, 86 " " " " 43 " " S. 15° W. 100 " " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
Var. 20° 00' E 40.02 Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for ½ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 36 " " " " 43 " " S. 15° W. 100 " " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		1 13 10H
Set basalt stone 17 x 8 x 7 on slight N. slope, in mound of stone for ½ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 86 " " " " 43 " " S. 15° W. 100 " " " " " " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
mound of stone for \$\frac{1}{4}\$ Sec. Cor. 73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly \$\frac{1}{2}\$ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 43 " " S. 15° W. 100 " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	40.02	
73.00 Snipe Creek, 15 lks., course S. 77.00 Snipe Creek 15 lks., course N.E. 80.00 The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 86 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The Cor. to Secs. 26, 27, 34 and 35. Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 26° E. 86 " " " " 43 " " S. 15° W. 100 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	73.00	
### 18 ### ### ### ### ### ### ### ### #	77.00	
Land; surface undulating, Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly 2 of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for 1 Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 86 " " " " 43 " " S. 15° W. 100 " " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	80.00	
Soil; 3rd and 2nd rate. Some scattering Pine timber. Nearly 1/2 of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for 1/4 Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " 18 " " S. 28° E. 86 " " " 43 " " S. 15° W. 100 " " " 7 " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		1 10 100
Nearly ½ of Sec. 35 is good farming land. N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		A SECTION OF THE PROPERTY OF T
N. bet. Secs. 26 and 27. Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E, 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for \$\frac{1}{4}\$ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
Var. 21°30'E. 40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		N. bet. Secs. 26 and 27.
40.00 Set basalt stone 14 x 12 x 5 on level for ½ Sec. Cor. A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		Var. 21°30'E.
A Pine 7 ins. diam. brs. N. 63° E. 230 lks. dist. " " 18 " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,	40.00	State of the state
" " 18 " " " S. 28° E. 86 " " " " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
" " 43 " " " S. 15° W. 100 " " " " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		Basel da Horsely Mark Division William Street
" " 7 " " " N. 17° W. 45 " " Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		And the state of t
Land; surface undulating, Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		
Soil; 2nd and 3rd rate, scattering Pine and Fir timber,		11 " 10
		6 1. 1. 1. 1. 1. 2. 2 Section (1997) 1997 1997
	10 00	Programmer Meanware and the control of the control

PRIMA 1867