```
Chains
          to Tps: 3 & 4 S., Rs. 32 & 33 E., W.M.
            A pine, 8 ins. diam., brs. N.32°E., 9 lks. dist.
                W 10 "
                                  " S.36°E.,31 '
                                " S.28°W., 4
                                      N.42°W.,62 "
            Afir, 5 "
       Land; surface broken.
       Soil; 3rd & 2hd rate.
       Heavy pine, tamarack & fir timber, with open glades.
       Grass in open glades. Some underbrush.
                                           June 13, 1881.
        Exterior Lines, T.5 S., R.32 E., W.M., As surveyed by Same
       W. on random line along N. Bdys. of Secs. 1, 2, 3, 4, 5 & 6.
       Set temp. mile & mile posts at every 40 & 80 chs. & at
          6 miles to a point, 240 lks. N. of Cor. to Tps. 4 & 5 S.,
         Rs. 31 & 32 E., making my correction 40 lks. S. per mile
         and my course N.89°43'E.
       I, therefore, begin at the Cor. to Tps. 4 & 5 S., Rs. 31 &
          32 E. and with Burt's Improved Solar Compass. I run
       N. 89° 43 E. on true line along N. Bdy. of Sec. 6.
                                            Var. 19° 30'E.
40.00 Set basalt stone, 14 x 10 x 7 on slight E. slope for 2 Sec.
80.00
       Set pine post in mound of stone, on level, for Cor. to Secs.
          5, 6, 31 & 32.
       Land; surface undulating.
       Soil; 2nd rate. Good grass. Good farming land.
        N.89°43°E. on true line along N. Bdy. of Sec.5.
                                            Var.19°15'E.
35.00 Enter timber, course S.E. & N.W.
       Set basalt stone, 12 x 10 x 4, on slight S. slope for 2 Sec.
40.00
            A pine, 24 ins. diam., brs. N.57°E., 122 lks. dist.
                    14 "
                                     S.26°W., 101 "
80.00 Set pine post on level for Cor. to Secs. 4, 5, 32 & 33.
```

A pine, 8 ins. diam., brs. N.38°E., 38 lks. dist.,