

## Subdivisional Lines; T.4 S., R.33 E., W. M.

	Chains	N.89°52'W. on true line bet. Secs. 15 & 22. Var.17°15'E.
39.89		Set basalt stone, 16 x 12 x 5 ins., 11 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. side, from which A pine, 12 ins. diam., brs. N.14°W., 33 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 10 ins. diam., brs. S.8°W., 7 lks. dist., marked $\frac{1}{4}$ S., B.T.
79.89		The Cor. to Secs. 15, 16, 21 & 22. Land; surface rolling. Soil; 3rd & 2nd rate. Heavy pine, tamarack & fir timber, with open glades.
		<u>Sept. 16, 1881.</u>
		N. bet. Secs. 15 & 16. Var.18°30'E.
		Undulating plateau.
40.00		Set basalt stone, 18 x 8 x 5 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which A pine, 10 ins. diam., brs. S.52°E., 18 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 18 ins. diam., brs. W., 20 lks. dist., marked $\frac{1}{4}$ S., B.T.
80.00		Set basalt stone, 18 x 14 x 5 ins., 12 ins. in ground, for Cor. to Secs. 9, 10, 15 & 16, marked with 4 notches on S. and 3 notches on E., edges, from which A pine, 10 ins. diam., brs. N.43°E., 109 lks. dist., marked T.4 S., R.33 E., S.10, B.T. A pine, 12 ins. diam., brs. S.21°E., 37 lks. dist., marked T.4 S., R.33 E., S.15, B.T. A pine, 8 ins. diam., brs. S.32°W., 77 lks. dist., marked T.4 S., R.33 E., S.16, B.T. A pine, 24 ins. diam., brs. N.44°W., 61 lks. dist., marked T.4 S., R.33 E., S.9, B.T. Land; surface slightly undulating. Soil; 2nd & 3rd rate. Heavy pine, tamarack & fir timber, with a few open glades. Some underbrush same.