c	hains	Sec. Cor., marked 1 on W. face, from which
		A pine, 7 ins. diam., brs. N.12°E., 237 lks. dist.,
		marked & S.,B.T.
		A pine, 34 ins. diam., brs. N.15°W., 174 lks. dist.,
		marked & S., B.T.
1	43.50	Leave opening, enter timber, brs. E. & W.
	71.68	A pine, 40 ins. diam.,
	80.00	Set basalt stone, 24 x 12 x 6 ins., 18 ins. in ground, for
	9	Cor. to Secs. 20, 21, 28 & 29, marked with 2 notches
		on S. and 4 notches on E. edges, from which
		A fir, 7 ins. diam., brs. N.37°E., 151 lks. dist.,
		marked T.4 S., R.34 E., S.21, B.T.
		A pine, 40 ins. diam., brs. N.22°W., 121 lks. dist.,
	SI.	marked T.4 S.,R.34 E.,S.20,B.T.
		A pine, 12 ins. diem., brs. S.71°W., 127 lks. dist.,
	9 9	marked T.4 S., R.34 E., S.29, B.T.
		A pine, 32 ins. diam., brs. S.22°E., 106 lks. dist.,
		marked T.4 S., R.34 E., S.28, B.T.
		Land; rolling & mountainous.
		Soil; 2nd & 3rd rate.
		Heavily timbered with pine, tamarack & fir, 69.30 chs. &
		some undergrowth of same kinds of wood.
		some undergrowth of same kinds of wood.
		E. on random line, bet. Secs. 21 & 28.
		Var.20°30'E.
	40.00	Set temp. ½ Sec. Cor.
	45.40	Dry gulch, course N.
	50.50	Old wagon road brs. N.20°E., & S.20°W.
	80.20	Intersect N. & S. line, at Cor. to Secs. 21, 22, 27 & 28,
	00.20	40 ft. above dry gulch.
		Thence I run
		W. on true line bet. Secs. 21 & 28:
	40.10	Set basalt stone, 13 x 10 x 6 ins., 9 ins. in ground, for ‡
	40.10	profession Lacetanopassa pateolectropassa contractor de la contractor de l
		Sec. Cor., marked 1 on W. face, from which
		A pine, 20 ins. diam., brs. S.48°E., 139 lks. dist.,
- 1	900	marked & S.,B.T.