Resurvey E. Bdy., T 5 N R 38 E W M.

	Chains	veyor General;
		Thence I run
c		N. bet. Secs. 31 & 36.
)		Ascending over steep, bluffy ground, very difficult to chain
		through widely scattered timber; hill hrs. N.E. & S.W.
	15.00	
		Top of rise; descend across canyon.
	21.50	Bottom of canyon, 300 ft. deep; course S.60°E; ascend.
F 36	29.00	Top of rise; thence descend over broken ground.
	40.00	The ½ Sec. Cor., a basalt stone, 10 x 8 x 5 ins., above
	(1.8x 5+	ground, marked & witnessed, as described by the Survey- or General.
	66.20	Bottom of canyon; stream, 3 lks. wide, runs S.E.; ascend
		steep, stony hill; brs. N.W. & S.E.
	80.00	A point, 1900 ft. above the Tp. Cor.; falls a rock in place,
		in ledge of basalt, on which, I cut a cross (X), at
		exact Cor. point, for Cor. to Secs. 25, 30, 31 & 36,
5		marked with 5 notches on N. and 1 notch on S. edges;
	l e parti	from which
	8080	The part of the first of the state of the st
	20 20 10	A pine, 38 ins. diam., brs. N.32°E., 2 chs. & 3 lks.dist
	1 35	marked T 5 N R 39 E S 30 B T.
		A fir, 27 ins. diam., brs. S.152°E., 2 chs. & 31 lks.dist
		marked T 5 N R 39 E S 31 B T.
		A pine, 36 ins. diam., brs. N.16°W., 2 chs.& 2 lks.dist.
		marked T 5 N R 38 E S 25 B T.
*		No tree in limit S W.; I raised a mound of stone, 2 ft.
in al		base, la ft. high, S.W. of Cor. Pits impracticable.
	11.00	From this Cor. the old Sec. Cor., a basalt stone, 14 x 13
		x 6 ins., marked & witnessed as described by the Surveyor
		General, brs. N.5°40'E., 1 ch.51 lks. dist.; I destroy
		all traces of this old Sec. Cor.
		Land; mountainous.
		Soil; stony; 4th rate.
		Timber; scattering pine & fir.
		Consideration for Consideration Consideratio
		Undergrowth; pine, fir, chaparral, willow & bunchgrass.
		Mountainous land; 80 chs.