Subdivisional Lines, T 5 N R 38 E W M.

	Chains	
	65.24	A fir, 30 ins. diam., on line, I mark with 2 notches on N.
(#)		and S. sides.
)	68.50	Ravine, course W.
1	76.00	Ravine, course W.; ascend.
<u> </u>	82.50	Ridge point, brs. E. & W.
		Descend.
		Hill brs. N.60°E. and S; 60°W.
T.	90.00	Ravine, course W.
		Ascend.
	92.50	A point, 700 ft. below 1 Sec. Cor. and
		Intersect N. Bdy. of Tp., finding no trace of old Cor. of
		Secs. 34 & 35, described by the Surveyor General. I
		Set temp. Closing Cor. and retrace
		E. on blank line N. Bdy. of Secs. 2.
Y	40.00	Set temp. 4 Sec. Cor., N. Bdy. Sec. 2.
	79.94	Intersect N. & S. line, 1 ch. S. of Closing Cor. of Secs.
		1 and 2, before described.
		Therefore, as recorded in the field notes of resurvey re-
		turned to the Surveyor General, I
2		Set basalt stone, 20 x 15 x 4 ins., 15 ins. in ground, for
		1 Sec. Cor., N. Bdy. Sec.2, at the equidistant point,
		39.97 chs., on line of old blazes, marked 4 on N. face;
		from which
Y	4. 3	A fir, 10 ins. diam., brs. S.80°E., 19 lks. dist.,
		marked 4 S 2 B T.
		At point of intersection, before mentioned, 1300 ft. below
		Closing Cor. E. I
		Set basalt stone, 20 x 12 x 12 ins., 15 ins. in ground, for
		Clesing Cor. of Secs. 2 & 3, marked C C on S. face, with
		2 grooves on E. and 4 grooves on W. faces; from which
		A fir, 12 ins. diam., brs. S.19°E., 1 ch. 22 lks. dist.,
	\$135 1	marked T 5 N R 38 E S 2 B T.
		A fir, 15 ins. diam., brs. S.35°W., 44 lks. dist.,
		marked T 5 N R 38 E S 3 B T.
		I could find no trace of the old Cors. described by the