Subdivision of T 5 N., R 39 E.

	Chains		Fe
		To complete the survey of sec. 7, I go to the \(\frac{1}{4}\) sec. cor. of sec. 13 only, on E. bdy. of T 5 N., R 38 E., and run	
		N. 0°12' E., along the E. bdy. of sec. 12.	
30	8.89	Midpoint on the W. bdy. of sec. 7.	
		Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock and in a mound of stone to top, for \(\frac{1}{4}\) sec. cor. of sec. 7 only, with brass cap marked	300
		2 6 77	
		1 S 7	
		1935	
	12.	of stone, 3 ft. base, 2 ft. high, E. of cor.	
		From the cor. of secs. 5, 6, 7, and 8	
		N. 0°03'E., on a random line bet. secs. 5 & 6.	
8	40.00	Set temp. 1/4 sec. cor.	
	82.52	Intersect N. bdy. of Tp., 28 lks. W. of the cor. of secs. 5, 6, 31 and 32, as described in the notes of T. 6 N., R. 39 E., of this group.	
		Thence	
		S. 0° 15' W., on true line bet. secs. 5 & 6.	77
	松	Desc. 24 ft. over gradual SE. slope, through heavy second growth timber and dense undergrowth.	
	8.56	Trail, brs. NE. and SW.	
	11.75	Spring branch, 1 lkwide, course E.; asc. 140 ft. over broken NE. slope.	
	42.52	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock and in a mound of stone to top, for \(\frac{1}{4}\) sec. cor., with brass cap marked	
		1/2	
		S6 S 5	
		1935	
		from which	
		A fir, 10 ins. diam., brs. N. 73°E., 45 lks. dist., marked 4 S 5 B T.	
		A fir, 12 ins. diam., brs. S. 77°W., 20 lks. dist., marked \(\frac{1}{4}\) S 6 B T.	
	42.90	Rounding spur, slopes E.; desc. 254 ft. over SE. slope.	
	56.70	Creek, 5 lks. wide, course SE.; asc. 297 ft. over broken NE. slope.	
	59.61	Spring branch, 1 lks. wide, course NE.	
0	73.25	Spur, slopes N. 70°E.; desc. 112 ft. over SE. slope.	
32	82.10	Ravine, course SE.; asc. 10 ft. over NE. slope.	1