

Resurvey of Exterior Lines of T. 5 S., R. 29 E., W.M.

Chains.	Feet
	A Fir, 20 ins. diam. brs. N. 84° E., 94 lks. dist. marked T. 5 S., R. 30 E., S. 30 B.T.
	A Pine, 10 ins. diam. brs. S. 44° E., 85 lks. dist. Marked T. 5 S., R. 30 E., S. 31 B.T.
	A Pine, 10 ins. diam. brs. S. 45° W., 67 lks. dist. marked T. 5 S., R. 29 E., S. 36 B.T.
	A Pine, 10 ins. diam. brs. N. 65° W., 67 lks. dist. marked T. 5 S., R. 29 E., S. 25 B.T.
	Land; gently rolling,
	Soil; 3rd rate, densely covered with forests of Pine and Fir timber, 89 Chs.
	April 28, 1883.
	N. bet. Sec. 25 and 30, Var. 19° E.
40.00	Set a basalt stone, 20 x 10 x 8 ins., 15 ins. in the ground marked $\frac{1}{4}$ on W. face, for $\frac{1}{4}$ Sec. Cor., from which, A Pine, 30 ins. diam. brs. S. 50° E., 52 lks. dist. marked $\frac{1}{4}$ S.B.T
	A Pine, 10 ins. diam. brs. S. 32° W., 47 lks. dist. marked $\frac{1}{4}$ S.B.T
47.00	Spring branch, 3 lks. wide, runs, S.E.
60.00	" " 4 " " " S.E.
80.00	Set a basalt stone, 17 x 10 x 4 ins., 11 ins. in the ground for Cor. to Secs. 19, 24, 25 & 30, marked with 4 notches on the N. and 2 notches on the S. edges, from which, A Pine, 20 ins. diam. brs. N. 55° E., 70 lks. dist. marked T. 5 S., R. 30 E., S. 19 B.T.
	A Pine, 10 ins. diam. brs. S. 78° W., 69 lks. dist. marked T. 5 S., R. 29 E., S. 25 B.T.
	A Pine, 10 ins. diam. brs. S. 60° E. 79 lks. dist. marked T. 5 S., R. 30 E., S. 30 B.T.
	A Pine, 20 ins. diam. brs. N. 20° W., 26 lks. dist. marked T. 5 S., R. 29 E., S. 24 B.T.
	Land; gently rolling,
	Soil; 2nd rate. Densely covered with forest of Pine and Fir, 80 Chs. Thick undergrowth of Huckleberry bushes and small Pine and Fir, 80 Chs.