

Resurvey of a portion of the exterior of T. 5 S., R. 29 E.W.M.

Chains	Feet
	marked T. 5 S., R. 30 E., S. 6 B.T. A Fir 16 ins. diam. brs. S. 65° E. 19 lks. dist. marked T. 5 S., R. 30 E., S. 7 B.T. A Pine 10 ins. diam. brs. S. 34° W. 23 lks. dist. marked T. 5 S., R. 29 E., S. 12 B.T. A Pine 10 ins. diam. brs. N. 29° W. 28 lks. dist. T. 5 S., R. 29 E. S. 1 B.T.
	Land; rolling, Soil; 2nd rate. Densely covered with forests of Pine, fir and Tamarack, 80 Chs. Thick undergrowth of small Pine, fir, and Tamarack. 80 Chs.
	N. bet. Secs. 1 and 6, Var. 19° E.
40.00	Set a basalt stone 18 x 10 x 7 ins. 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which, A Pine 30 ins. diam. brs. S. 89° W. 95 lks. dist. marked $\frac{1}{4}$ S.B.T. A Pine 10 ins. diam. brs. N. 68° E. 61 lks. dist. marked $\frac{1}{4}$ S.B.T.
80.25	The established Cor. to Tps. 4 and 5 S., Rs. 29 and 30 E., which is a post 4 ins. sq., marked, T. 4 S., S. 31 on N.E. R. 30 E., S. 6 on S.W. T. 5 S., S. 1 on S.W. R. 29 E., S. 36 on N.W. faces with, 6 notches on each edge, from which A Pine 16 ins. diam. brs. N. 62° E. 19 lks. dist. marked T. 4 S., R. 30 E., S. 31 B.T. A Pine 9 ins. diam. brs. S. 34° E. 21 lks. dist marked T. 5 S., R. 30 E., S. 6 B.T. A Pine 9 ins. diam. brs. S. 68° W. 32 lks. dist. marked T. 5 S., R. 29 E., S. 1 B.T. A Pine 10 ins. diam. brs. N. 45° W. 8 lks. dist.