Chains	
80.00	Intersect N. and S. line, 50 lks. S. of Cor. to Secs. 1,
	2, 11 and 12.
	Thence I run,
	S. 89° 39' W. on true line bet. Secs. 2 and 11 with same
	Var.
40.00	Set basalt stone 20 x 13 x 5 ins. 15 ins. in ground for 1
	Sec. Cor., marked on N. face from which,
	A Pine 5 ins. diam. brs. S. 10° E. 38 lks. dist.
	marked 1 S.B.T.
	A Fir 10 ins. diam. brs. N. 24° E. 8 lks. dist.
	marked 2 S.B.T.
80.00	The Cor. to Secs. 2, 3, 10 and 11
	Land; rolling,
	Soil; 2nd rate. Densely covered with forests of Pine, Fir
k k	and Tamarack timber 80. Chs. Thick undergrowth of small
3.47	Pine Fir and Tamarack on W. & mile. &.E. & mile.
	The second control of
300	N. on random line bet. Secs. 2 and 3.
	Var. 21° 10' E.
00.50	(F) 2
	Over rolling ground.
40.00	Set temp. ½ Sec. Cor.
47.00	Ravine, course E.
80.02	Intersect N. Bdy. of Tp. at 46 lks. E. of Cor. to Secs.
00.00	the state of the s
*	2, 3, 34 and 35, which is a basalt stone 12 x 8 x 7 ins.
	firmly set in ground marked with,
	2 notches on E., and
	4 notches on W. edges, from which
	A Pine 26 ins. dia, .brs. N. 71° E., 109 lks. dist.
3 1	marked T. 4 S., R. 30 E., S. 35 B.T.
	A Pine 14 ins. diam. brs. S. 14° E., 126 lks. dist.
	marked T. 5 S., R. 30 E., S. 2 B.T.
	A Pine 24 ins. diam. brs. S. 38° W. 147 lks. dist.
	marked T. 5 S., R. 30 E., S. 3 B.T.
1 4	A Pine 20 ins. diam. brs. N. 50° W. 126 lks. dist.
	marked T. 4 S R 30 R G 74 R m