

Subdivisional Lines, T.5 S., R.33 E., W. M.

	Chains	No other trees. from which Cor., I run S.00°11'W. on true line bet. Secs. 2 & 3. Var. 20°00'E.
39.60		Set basalt stone, 14 x 10 x 8, on E. slope, 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face A tamarack, 16 ins. diam., brs. N.22°E., 59 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 5 ins. diam., brs. N.17°W., 61 lks. dist., marked $\frac{1}{4}$ S., B.T.
79.60		The Cor. to Secs. 2, 3, 10 & 11. Land; surface undulating. Soil; 2nd & 1st rate. Some scattering pine & tamarack timber, but mostly open; larger part good farming land. Robt. H. Redmond's improvement is on Sec. 2, his house is near the center of the Sec., but not visible from the line.
		June 1 st 1882.
		N. bet. Secs. 33 & 34. Var. 19°15'E. This Cor. is a stone, about 6 ins. above ground, from which A pine, 5 ins. diam., brs. N.52°E., 35 lks. dist., marked T.5 S., R.33 E., S.34, S.C., B.T. A pine, 10 ins. diam., brs. N.34°W., 11 lks. dist., marked T.5 S., R.33 E., S.33, S.C., B.T. Ascending. 40.00 A point, about 100 ft. above Sec. Cor. Set post, 4 ft. long, 4 ins. diam., 2 ft. in ground, on level, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. side. A pine, 5 ins. diam., brs. S.12°E., 20 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 44 ins. diam., brs. N.68°W., 27 lks. dist., marked $\frac{1}{4}$ S., B.T. Set basalt stone, 12 x 10 x 7 ins., 8 ins. in ground, on