Resurvey of the W. Bdy. of T 6 N R 39 E., W.M.

ā	Chains		Feet
		Thence continuing my measurements.	
		N. 4°15'W., resurveying the W. bdy. of sec. 31	
		Desc. 690 ft. over broken NW. slope, through timber and	
		dense brush.	
	19.80	Spring branch, 2 lks. wide, course NW.; thence along W. slope.	1.2
30	32.50	Small spur, slopes NW.; continue to desc. 220 ft. over N. slope.	
	40.11	Mid point on W. bdy. of sec. 31, later determined.	
		Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to solid rock, and in a mound of stone to top, for \(\frac{1}{4} \) sec. cor. of sec. 31 only, with brass cap marked,	
	9 1	less	
		1932	
er ^{es}		from which	
		A fir, 10 ins. diam., brs. N. 35° E., 61 lks. dist., marked \(\frac{1}{4} \) S 31 B T.	
		A fir, 18 ins. diam., brs. S. 23° E., 34 lks. dist., marked \(\frac{1}{4} \) S 31 B T.	
	40.94	Proportionate point,	
		Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \(\frac{1}{4}\) sec. cor. of sec. 36 only, with brass cap marked	
		₹ S36	
		1932	
	* 6 Kill 8	from which	
	.	A fir, 10 ins. diam., brs. S. 74° W., 24 lks. dist., marked \(\frac{1}{4} \) S 36 B T.	
	B* * 1	A fir, 14 ins. diam. brs. N. 30° W., 18 lks. dist., marked \(\frac{1}{4}\) S 36 B T.	
		Continue to desc. 40 ft. over N. slope.	10
14	48.00	Ravine, course NW.; asc. 430 ft. over SW. slope.	
	62.00	Spur, slopes NW.; desc. 550 ft. over NE. slope.	
	79.93	Proportionate point,	
	\$7	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. fo secs. 25 & 36 only, with brass cap marked	
		T6N T6N	
		\$25 R39E \$36 S31	7.
000		R38E 1932	
2.		from which	
	To the second	The second secon	1