A fir, 15 ins. diam., brs. S. 36° E.; 169 lks. dist. marked \$ S 19 B T. Continue to asc. 195 ft. over SW. slope. Ridge, brs. N. 50° W., and S. 50° E.; desc. 640 ft. over broken NE. slope. S.48 Proportionate point, Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid rock, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap marked T6N T6N S13	Chains	
marked \$ S 19 B T. Continue to asc. 195 ft. over SW. slope. Ridge, brs. N. 50° W., and S. 50° E.; desc. 640 ft. over broken NE. slope. Proportionate point, Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid reck, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap marked TEAL TRAPE RESP RESP RESP RESP RESP RESP RESP RE		
Ridge, brs. N. 50° W., and S. 50° E.; desc. 640 ft. over broken NE. slope. 3.48 Proportionate point, Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid rock, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap marked T6N T6N S13 PS24 R39E R358 S19 1932 from which A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. 6f sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. 4 Froportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$2 sec. cor. of sec. 15 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$ S 15 B T. Continue to desc. 250 ft. over N. slope. A point 40,00 chs, in northing from the closing cor. of sec. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \$2 sec. cor. of sec. 18 only, with brass cap		A fir, 15 ins. diam., brs. S. 36° E.; 169 lks. dist. marked \(\frac{1}{4} \) S 19 B T.
broken NE. slope. Proportionate point, Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid rock, and in a mound of stone to top, for cor. of secs. 15 and 24 only, with brass cap marked TGN TGN S13 H S9E R3SE S19 1932 from which A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 15 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mandgany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. 501 Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$ S 13 B T. A fir, 20 ins. diam., brs. Sh. 60°W., 126 lks. dist., marked \$ S 15 B T. Continue to desc. 250 ft. over N. slope. A point 40,00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 inv.diam., 27 ins. in the ground, for \$ sec. cor. of sec. 18 only, with brass cap		Continue to asc. 195 ft. over SW. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid rock, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap marked TON TON SIS HASPE RASE SIS HASP	56.00	Ridge, brs. N. 50° W., and S. 50° E.; desc. 640 ft. over broken NE. slope.
the ground to solid rock, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap marked TEN TEN S13	75.48	Proportionate point,
from which A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 37d rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. 6f sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. 43 Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs. S. 60°W., 126 lks. dist., marked ½ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 ehs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for ½ sec. cor. of sec. 18 only, with brass cap		the ground to solid rock, and in a mound of stone to top, for cor. of secs. 13 and 24 only, with brass cap
from which A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{2}\$ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 ehs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		T6N T6N
from which A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. 6f sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked \$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \$ sec. cor. of sec. 18 only. with brass cap	8 M N	\$13 1
A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked \$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \$ sec. cor. of sec. 18 only. with brass cap		R38E S19
A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T. A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs. N. 82°W., 126 lks. dist., marked ½ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40,00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for ½ sec. cor. of sec. 18 only, with brass cap		1932
A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T. Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked ½ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40,00 chs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for ½ sec. cor. of sec. 18 only, with brass cap		from which
Continue to desc. 100 ft. over NE. slope. Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. 6f sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{2}\$ S 13 B T. A fir, 20 ins. diam., brs. sn. 82°W., 126 lks. dist., marked \$\frac{1}{2}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \$\frac{1}{2}\$ sec. cor. of sec. 18 only, with brass cap		A fir, 9 ins. diam., brs. S. 60°W., 21 lks. dist., marked T 6 N R 38 E S 24 B T.
Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth. Lend; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked ½ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for ½ sec. cor. of sec. 18 only, with brass cap		A fir, 6 ins. diam., brs. N. 74° W., 19 lks. dist., marked T 6 N R 38 E S 13 B T.
as hereinafter set forth. Land; mountianous. Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sn. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		Continue to desc. 100 ft. over NE. slope.
Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern. N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. 43 Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. SN. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap	0.04	Point for the closing cor. of secs. 18 and 19, determined as hereinafter set forth.
Desc. 350 ft. over broken NE. slope, through timber and dense brush. 50 Spur, slopes NE.; continue to desc. 30 ft. over N. slope. 43 Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sN. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 ehs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		Soil; rocky loam; 3rd rate. Timber, fir, pine, spruce and tamarack. Undergrowth, huckleberry, salal, vinemaple, willow, alder.
Desc. 350 ft. over broken NE. slope, through timber and dense brush. 50 Spur, slopes NE.; continue to desc. 30 ft. over N. slope. 43 Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sN. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 ehs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		mountain mahogany, mountain laurel, mountain ash, rose, syringa and fern.
Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{4}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sn. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		syringa and fern.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{2}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sn. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and
ground to solid rock, and in a mound of stone to top, for \$\frac{1}{4}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. N. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins. diam., 27 ins. in the ground, for \$\frac{1}{4}\$ sec. cor. of sec. 18 only, with brass cap		N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush.
marked 4 S 13 B T. A fir, 20 ins. diam., brs.sN. 82°W., 126 lks. dist., marked 4 S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for 4 sec. cor. of sec. 18 only, with brass cap	3.50	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope.
Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor. of sec. 18 only, with brass cap	33.50 54.43	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top.
A point 40.00 chs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \(\frac{1}{2} \) sec. cor. of sec. 18 only, with brass cap	33.50	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W 117 lks. dist
A point 40.00 chs, in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the ground, for \(\frac{1}{2} \) sec. cor. of sec. 18 only, with brass cap	3.50	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs. 3N. 82°W., 126 lks. dist
ground, for \$ sec. cor. of sec. 18 only, with brass cap	3.50	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs.sN. 82°W., 126 lks. dist., marked ½ S 13 B T.
ground, for \$ sec. cor. of sec. 18 only, with brass cap	33.50 4.43	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for \$\frac{1}{4}\$ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. A fir, 20 ins. diam., brs. sN. 82°W., 126 lks. dist., marked \$\frac{1}{4}\$ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 ehs, in northing from the closing cor. of
·	3.50 4.43	N. 4° 15' W., on the W. bdy. of sec. 18. Desc. 350 ft. over broken NE. slope, through timber and dense brush. Spur, slopes NE.; continue to desc. 30 ft. over N. slope. Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to solid rock, and in a mound of stone to top, for ½ sec. cor. of sec. 13 only, with brass cap marked A fir, 18 ins. diam., brs. S. 60°W., 117 lks. dist., marked ½ S 13 B T. A fir, 20 ins. diam., brs.sN. 82°W., 126 lks. dist., marked ½ S 13 B T. Continue to desc. 250 ft. over N. slope. A point 40.00 chs. in northing from the closing cor. of secs. 18 & 19, later determined. Set an iron post, 3 ft. long, 1 ins.diam., 27 ins. in the

KILHAM 1567