Subdivisional Lines of T. 6 S., R. 30 E., W.M.

	Chains	Fe
1.2	40.00	Set a pine post for & Sec. Cor., from which,
ğ 0,	_	A Pine, 20 ins. in diam. brs. S., 87° E., 65 lks. dist.
g II		A Pine, 42 ins. in diam. brs. N. 72° E., 65 lks, dist.
853	80.00	Set a pine post, for Cor. to Secs. 21, 22, 27 & 28, from
		which,
	9 5 .	A Pine, 20 ins. in diam. brs. S. 70° E., 68 lks. dist.
		A Pine, 40 ins. in diam. brs. S. 84° W., 35 lks. dist.
		A Pine, 20 ins. in diam. brs. N. 66° E., 125 lks. dist.
		A Pine, 30 ins. in diam. brs. N. 42° W., 100 lks. dist.
		Land; gently rolling
	es y ven	Soil; 2nd rate.
		Heavy pine timber.
		E. bat. Secs. 22 and 27
	40.00	Set a temp. 2 Sec. Cor.
	79.48	and an arrange was a second of the second of
	19.40	Intersect N. and S. line, 18 lks. S. of Cor. to Secs. 22,
		23, 26 & 27, from which Cor. I run
		S. 89° 52' W. on a true line bet. Secs. 22 & 27
10 10 10	39.74	
		A Pine, 40 ins. in diam. brs. N. 40° E., 32 lks. dist.
	1961	A Pine, 40 ins. in diam. brs. S. 40° E., 32 lks. dist.
	59.48	Ravine, course S.
	79.48	To Cor. to Secs. 21, 22, 27 & 28.
	1205316 1	Land; rolling
		Soil; good 2nd rate.
	1900 TE	Heavy pint timber; good grass.
		and the state of t
100	12 2	N. bet. Secs. 21 & 22
m) sentin	Var. 20° E.
18	40.00	Set a pine post for 2 Sec. Cor., from which
		A Pine, 18 ins. in diam. brs. S. 84° W., 6 lks. dist.
4 13		A Pine, 30 ins. in diam. brs. N. 39° E., 109 lks. dist.
1904	80.00	
,	4	which, we have a second of the
1		25 Serv

KILHAN 1967