

Exterior Lines, T 6 S R 32 E W M.

Chains

A pine, 27 ins. diam., brs. N.61°E., 107 lks. dist.,
marked T 6 S R 33 E S 18 B T.

A pine, 30 ins. diam., brs. S.34°E., 89 lks. dist.,
marked T 6 S R 33 E S 19 B T.

A pine, 24 ins. diam., brs. S.44°W., 65 lks. dist.,
marked T 6 S R 32 E S 24 B T.

A pine, 26 ins. diam., brs. N.20°W., 76 lks. dist.,
marked T 6 S R 32 E S 13 B T.

Land; mountainous, and rolling.

Soil; 2nd rate.

Densely covered with forests of pine, fir, tamarack and
spruce timber, 80 chs.

Thick undergrowth of balm, willow, fir & pine, 80 chs.

N. bet. Secs. 13 & 18.

Var. 19°E.

Ascend alongside of hill, facing S.W.

40.00 Top of hill, enter rolling table land, 300 ft. above Sec.
Cor. and

Set basalt stone, 16 x 12 x 5 ins., 10 ins. inground, for
 $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which

A pine, 27 ins. diam., brs. S.23°E., 59 lks. dist.,
marked $\frac{1}{4}$ S B T.

A pine, 30 ins. diam., brs. N.38°W., 20 lks. dist.,
marked $\frac{1}{4}$ S B T.

63.40 Brook, 3 lks. wide, course S.W.

80.00 Set basalt stone, 18 x 10 x 8 ins., 12 ins. in ground, for
Cor. to Secs. 7, 12, 13 & 18, marked with 2 notches on
N. and 4 notches on S. edges, from which

A tamarack, 12 ins. diam., brs. N.30°E., 26 lks. dist.,
marked T 6 S R 33 E S 7 B T.

A fir, 36 ins. diam., brs. S.41°E., 33 lks. dist.,
marked T 6 S R 33 E S 18 B T.

A pine, ⁵⁰~~20~~ ins. diam., brs. S.76°W., 13 lks. dist.,
marked T 6 S R 32 E S 13 B T.