	Chains	General Description
		This Tp. is high & mountainous, covered with forests of
		excellent timber.
		The soil along the streams is of first quality.
		July 17, 1883.
	2	Subdivisional Lines, T 6 S R 34 E W M. As surveyed by same U S Deputy Surveyor, Under same Contract & date.
		As I have just run the S. & E. Bdy., with the same compass
		and assistants, I do not reartin it.
	20	Survey commenced July 20, 1883.
		E I mobel of Building
	5,8 <sup>17</sup>	I commenced at the Cor. to Secs. 1, 2, 35 & 36 on S. Bdy.
		of Tp., which is a basalt stone, 20 x 10 x 8 ins.,
		firmly set in ground, marked with 1 notch on E. and 5
		notches on W. edges; from which
		A pine, 8 ins. diam., brs. N.13°E., 40 lks. dist.,
		marked T 6 S R 34 E S 36 B T.
		A pine, 10 ins. diam., brs. S.76°E., 214 lks. dist.,
		marked T 7 S R 34 E S 1 B T.
		A pine, 10 ins. diam., brs. S.45°W., 39 lks. dist.,
		marked T % S R 34 E S 2 B T.
	200 l	A pine, 8 ins. diam., hrs. N.24°W., 57 lks. dist.,
		marked T 6 S R 34 E S 35 B T.
		I run
		N. bet. Secs. 35 & 36.
		Var. 20°E.
	8	Ascending.
	7.50	Ravine, course S.E.
	20.00	Top of ridge, course S.E. and descend.
	30.00	Ravine, course S.E. and ascend hild, course E. & W.
	40.00	Set granite stone, 10 x 8 x 8 ins., 7 ins. in ground, for ½
	G. Constitution of the con	Sec. Cor., marked 1 on W. face; from which
	50001	A temerack, 30 ins. diam., brs. S.59°E., 148 lks. dist.
	T 7 987	marked 1 S B T.